

2006 UCD CES - Registered Voter Survey Codebook

caseid case identifier

type: numeric (long)
range: [565056,1211696] units: 1
unique values: 999 missing .: 0/999
mean: 787764
std. dev: 93073.5
percentiles: 10% 25% 50% 75% 90%
690992 703753 822088 850686 865053

weight case weight

type: numeric (float)
range: [.3332811,3.1168461] units: 1.000e-08
unique values: 110 missing .: 0/999
mean: 1
std. dev: .734478
percentiles: 10% 25% 50% 75% 90%
.339209 .540653 .735823 1.08424 2.29308

distid congressional district

type: string (str4)
unique values: 149 missing "": 0/999
examples: "FL09"
"MD02"
"NV03"
"TN04"

sample06 100 from the first 432 cases (sample)

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/999
tabulation: Freq. Value
360 0
639 1

openorcompete race expected to be open or competitive

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/999
tabulation: Freq. Value
530 0
469 1

ratebusha rating - george w. bush (pre)

type: numeric (byte)
label: rate, but 3 nonmissing values are not labeled
range: [1,6] units: 1
unique values: 6 missing .: 11/999
tabulation: Freq. Numeric Label
502 1 most unfavorable 1
64 2
73 3
149 4
197 5 most favorable 5
3 6 not sure 6
11 .

ratedcana rating - democratic candidate for house (pre)

```

type: numeric (byte)
label: rate, but 3 nonmissing values are not labeled

range: [1,6]          units: 1
unique values: 6      missing .: 4/999

```

```

tabulation: Freq.  Numeric  Label
             194      1  most unfavorable 1
             123      2
             136      3
             156      4
             229      5  most favorable 5
             157      6  not sure 6
              4      .

```

```

ratercana                                     rating - republican candidate for house (pre)

```

```

type: numeric (byte)
label: rate, but 3 nonmissing values are not labeled

range: [1,6]          units: 1
unique values: 6      missing .: 4/999

```

```

tabulation: Freq.  Numeric  Label
             254      1  most unfavorable 1
             121      2
             135      3
             150      4
             140      5  most favorable 5
             195      6  not sure 6
              4      .

```

```

libcon                                         ideological rating - yourself (pre)

```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 10/999

```

```

tabulation: Freq.  Numeric  Label
             60      1  1 very liberal
             112      2
             145      3
             204      4
             173      5
             171      6
             103      7  7 very conservative
              21      8  not sure
              10      .

```

```

libconbush                                   ideological rating - george w. bush (pre)

```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 10/999

```

```

tabulation: Freq.  Numeric  Label
              9      1  1 very liberal
             12      2
             21      3
             66      4
             161      5
             208      6
             471      7  7 very conservative
              41      8  not sure
              10      .

```

```

libcondems                                   ideological rating - democrats in congress (pre)

```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 10/999

```

```

tabulation: Freq.  Numeric  Label
             256      1  1 very liberal
             217      2
             209      3
             192      4
              57      5

```

```

16      6
13      7 7 very conservative
29      8 not sure
10      .

```

```
-----
libconreps                                ideological rating - republicans in congress (pre)
-----
```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 12/999

tabulation: Freq.  Numeric  Label
              9         1  1 very liberal
              5         2
              26        3
             103        4
             183        5
             274        6
             347        7 7 very conservative
             40         8  not sure
             12         .

```

```
-----
libcondemvot                             ideological rating - democratic voters (pre)
-----
```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 10/999

tabulation: Freq.  Numeric  Label
              133        1  1 very liberal
              256        2
              306        3
              201        4
               42        5
               16        6
                4        7 7 very conservative
               31        8  not sure
               10         .

```

```
-----
libconrepvot                             ideological rating - republican voters (pre)
-----
```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 20/999

tabulation: Freq.  Numeric  Label
              5         1  1 very liberal
              6         2
              12        3
              53        4
              196        5
              383        6
              285        7 7 very conservative
              39         8  not sure
              20         .

```

```
-----
libcondistrict                           ideological rating - voters in congressional district (pre)
-----
```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 24/999

tabulation: Freq.  Numeric  Label
              32         1  1 very liberal
              89         2
             122         3
             197         4
             213         5
             172         6
              69         7 7 very conservative
              81         8  not sure
              24         .

```

```
-----
libcondcan                               ideological rating - democratic candidate for house (pre)
-----
```

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 13/999

tabulation: Freq.  Numeric  Label
            150      1      1 very liberal
            180      2
            222      3
            163      4
            51       5
            8        6
            5        7 7 very conservative
            207      8 not sure
            13       .

```

libconrcan ideological rating - republican candidate for house (pre)

```

type: numeric (byte)
label: LABC, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 17/999

tabulation: Freq.  Numeric  Label
            6       1      1 very liberal
            3       2
            13      3
            51      4
            127     5
            262     6
            268     7 7 very conservative
            252     8 not sure
            17      .

```

appcong approve on congress' job (pre)

```

type: numeric (byte)
label: LABD

range: [1,3]          units: 1
unique values: 3      missing .: 0/999

tabulation: Freq.  Numeric  Label
            96      1      approve
            814     2      disapprove
            89      3      not sure

```

strenappcong strength of approval - congress' job (pre)

```

type: numeric (byte)
label: LABE

range: [1,4]          units: 1
unique values: 4      missing .: 102/999

tabulation: Freq.  Numeric  Label
            17      1      approve strongly
            77      2      approve somewhat
            610     3      disapprove strongly
            193     4      disapprove somewhat
            102     .

```

appinc approve current u.s. representative's job (pre)

```

type: numeric (byte)
label: LABD

range: [1,3]          units: 1
unique values: 3      missing .: 2/999

tabulation: Freq.  Numeric  Label
            424     1      approve
            341     2      disapprove
            232     3      not sure
            2       .

```

strenappinc strength of approval - current u.s. representative's job (pre)

```

type: numeric (byte)
label: LABE

```

```

        range: [1,4]                units: 1
unique values: 4                missing .: 245/999

    tabulation: Freq.  Numeric  Label
                217      1  approve strongly
                200      2  approve somewhat
                245      3  disapprove strongly
                 92      4  disapprove somewhat
                245      .

-----
honestdcana                                democratic house candidate - honest (pre)
-----

    type: numeric (byte)
    label: LABF

        range: [1,5]                units: 1
unique values: 5                missing .: 10/999

    tabulation: Freq.  Numeric  Label
                142      1  extremely well
                276      2  quite well
                115      3  not too well
                105      4  not well at all
                351      5  not sure
                 10      .

-----
trustdcana                                democratic house candidate - trustworthy (pre)
-----

    type: numeric (byte)
    label: LABF

        range: [1,5]                units: 1
unique values: 5                missing .: 18/999

    tabulation: Freq.  Numeric  Label
                137      1  extremely well
                274      2  quite well
                109      3  not too well
                116      4  not well at all
                345      5  not sure
                 18      .

-----
competentdcana                            democratic house candidate - competent (pre)
-----

    type: numeric (byte)
    label: LABF

        range: [1,5]                units: 1
unique values: 5                missing .: 17/999

    tabulation: Freq.  Numeric  Label
                170      1  extremely well
                263      2  quite well
                109      3  not too well
                113      4  not well at all
                327      5  not sure
                 17      .

-----
honestrcana                                republican house candidate - honest (pre)
-----

    type: numeric (byte)
    label: LABF

        range: [1,5]                units: 1
unique values: 5                missing .: 11/999

    tabulation: Freq.  Numeric  Label
                90       1  extremely well
                225      2  quite well
                119      3  not too well
                184      4  not well at all
                370      5  not sure
                 11      .

-----
trustrcana                                republican house candidate - trustworthy (pre)
-----

    type: numeric (byte)
    label: LABF

        range: [1,5]                units: 1
unique values: 5                missing .: 13/999

    tabulation: Freq.  Numeric  Label

```

competentrcana	republican house candidate - competent (pre)
----------------	--

```

type: numeric (byte)
label: LABF

range: [1,5]          units: 1
unique values: 5       missing.: 18/999

tabulation: Freq.    Numeric  Label
            112      1        extremely well
            235      2        quite well
            122      3        not too well
            164      4        not well at all
            348      5        not sure
            18        .

```

```
whowin      dem or repub house candidate win election (pre)
```

```

      type: numeric (byte)
      label: whowin

      range: [1,3]
unique values: 3
units: 1
missing : 8/999

      tabulation: Freq.   Numeric   Label
                  563       1   the democratic candidate
                  416       2   the republican candidate
                   12       3   someone else
                   8         .

```

howclose	closeness of house election (pre)
----------	-----------------------------------

```

      type: numeric (byte)
      label: howclose

      range: [1,3]
unique values: 3
units: 1
missing : 10/999

      tabulation: Freq.   Numeric   Label
                  253      1   very close
                  394      2   somewhat close
                  342      3   not close at all
                   10      .

```

```
percwin      percent of vote winning house candidate will get (pre)
```

```

      type: numeric (byte)
      label: percwin

      range: [1,6]                      units: 1
unique values: 6                      missing : 16/999

      tabulation: Freq.   Numeric   Label
                  158      1  50% or less
                  487      2  51-60%
                  224      3  61-70%
                   84      4  71-80%
                   23      5  81-90%
                    7      6  91% or more
                   16      .

```

terror terrorism vs. rights - own views (pre)

```

type: numeric (byte)
label: LABG, but 5 nonmissing values are not labeled

range: [1,8]                                units: 1
unique values: 8                            missing.: 7/999

tabulation: Freq.   Numeric   Label
            219      1       1 fight terrorism
            120      2
            78       3
            103      4
            100      5
            118      6

```

247 7 7 protect rights
7 8 not sure
7 .

terrorrbush terrorism vs. rights - views of george w. bush (pre)

type: numeric (byte)
label: LABG, but 5 nonmissing values are not labeled

range: [1,8] units: 1
unique values: 8 missing .: 7/999

tabulation:	Freq.	Numeric	Label
	696	1	1 fight terrorism
	153	2	
	63	3	
	38	4	
	11	5	
	5	6	
	6	7	7 protect rights
	20	8	not sure
	7	.	

terrorrcan terrorism vs. rights - views of republican house candidate (pre)

type: numeric (byte)
label: LABG, but 5 nonmissing values are not labeled

range: [1,8] units: 1
unique values: 8 missing .: 13/999

tabulation:	Freq.	Numeric	Label
	299	1	1 fight terrorism
	175	2	
	123	3	
	50	4	
	14	5	
	7	6	
	7	7	7 protect rights
	311	8	not sure
	13	.	

terrorrdcan terrorism vs. rights - views of democratic house candidate (pre)

type: numeric (byte)
label: LABG, but 5 nonmissing values are not labeled

range: [1,8] units: 1
unique values: 8 missing .: 12/999

tabulation:	Freq.	Numeric	Label
	10	1	1 fight terrorism
	15	2	
	34	3	
	133	4	
	161	5	
	164	6	
	174	7	7 protect rights
	296	8	not sure
	12	.	

stem stem cell - own views (pre)

type: numeric (byte)
label: LABH, but 5 nonmissing values are not labeled

range: [1,8] units: 1
unique values: 8 missing .: 10/999

tabulation:	Freq.	Numeric	Label
	192	1	1 oppose stem cell research
	60	2	
	36	3	
	51	4	
	50	5	
	81	6	
	495	7	7 support stem cell research
	24	8	not sure
	10	.	

stembush stem cell - views of george w. bush (pre)

type: numeric (byte)

```

label: LABH, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 10/999

tabulation: Freq.  Numeric  Label
            685      1      1 oppose stem cell research
            158      2
            53       3
            28       4
            12       5
             8       6
            14       7 7 support stem cell research
            31       8 not sure
            10       .

```

```

stemrcan                                stem cell - views of republican house candidate (pre)

```

```

type: numeric (byte)
label: LABH, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 16/999

tabulation: Freq.  Numeric  Label
            307      1      1 oppose stem cell research
            127      2
            81       3
            38       4
            21       5
            10       6
             8       7 7 support stem cell research
            391      8 not sure
            16       .

```

```

stemdcn                                stem cell - views of democratic house candidate (pre)

```

```

type: numeric (byte)
label: LABH, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 14/999

tabulation: Freq.  Numeric  Label
             4       1      1 oppose stem cell research
             8       2
             9       3
            42       4
            91       5
            123      6
            320      7 7 support stem cell research
            388      8 not sure
            14       .

```

```

gay                                    gay marriage - own views (pre)

```

```

type: numeric (byte)
label: LABI, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 8/999

tabulation: Freq.  Numeric  Label
            390      1      1 outlaw gay marriage
            49       2
            28       3
            63       4
            46       5
            58       6
            336      7 7 legalize gay marriage
            21       8 not sure
             8       .

```

```

gaybush                                gay marriage - views of george w. bush (pre)

```

```

type: numeric (byte)
label: LABI, but 5 nonmissing values are not labeled

range: [1,8]          units: 1
unique values: 8      missing .: 11/999

tabulation: Freq.  Numeric  Label
            834      1      1 outlaw gay marriage
            89       2
            24       3

```


gayrcan gay marriage - views of republican house candidate (pre)

tabulation:	Freq.	Numeric	Label
	459	1	1 outlaw gay marriage
	100	2	
	52	3	
	21	4	
	4	5	
	3	6	
	7	7	7 legalize gay marriage
	338	8	not sure
	15	.	

gaydcan gay marriage - views of democratic house candidate (pre)

tabulation:	Freq.	Numeric	Label
	51	1	1 outlaw gay marriage
	16	2	
	19	3	
	76	4	
	94	5	
	96	6	
	183	7	7 legalize gay marriage
	447	8	not sure
	17	.	

taxes	taxes and deficit - own views (pre)
-------	-------------------------------------

tabulation:	Freq.	Numeric	Label
	242	1	1 cut taxes
	69	2	
	53	3	
	85	4	
	81	5	
	97	6	
	324	7	7 reduce deficit
	37	8	not sure
	11	.	

taxes and deficit - views of george w. bush (pre)

tabulation:	Freq.	Numeric	Label
	649	1	1 cut taxes
	136	2	
	67	3	
	29	4	
	10	5	
	7	6	
	15	7	7 reduce deficit
	72	8	not sure
	14	.	

taxesrcan	taxes and deficit - views of republican house candidate (pre)
-----------	---

```

-----
      type: numeric (byte)
      label: LABJ, but 5 nonmissing values are not labeled

      range: [1,8]                units: 1
      unique values: 8            missing .: 22/999

      tabulation: Freq.  Numeric  Label
                   359      1    1 cut taxes
                   140      2
                   73       3
                   41       4
                   7        5
                   6        6
                   7        7 7 reduce deficit
                   344      8    not sure
                   22      .

-----
taxesdcan                                taxes and deficit - views of democratic house candidate (pre)
-----

      type: numeric (byte)
      label: LABJ, but 5 nonmissing values are not labeled

      range: [1,8]                units: 1
      unique values: 8            missing .: 19/999

      tabulation: Freq.  Numeric  Label
                   8       1    1 cut taxes
                   3       2
                   13      3
                   72      4
                   125     5
                   148     6
                   231     7 7 reduce deficit
                   380     8    not sure
                   19      .

-----
firstknow                                how much person knows about politics (pre)
-----

      type: numeric (byte)
      label: firstknow

      range: [1,5]                units: 1
      unique values: 5            missing .: 6/999

      tabulation: Freq.  Numeric  Label
                   429     1    a great deal
                   432     2    an average amount
                   90      3    not much at all
                   10      4    i do not know
                   32      5    i do not talk about these issues
                               with other people
                   6       .

-----
firstsupport                             person supports candidates of which party (pre)
-----

      type: numeric (byte)
      label: LABK

      range: [1,5]                units: 1
      unique values: 5            missing .: 37/999

      tabulation: Freq.  Numeric  Label
                   322     1    republicans
                   354     2    democrats
                   214     3    both
                   31      4    neither
                   41      5    i do not know
                   37      .

-----
secondknow                               how much second person knows about politics (pre)
-----

      type: numeric (byte)
      label: LABL

      range: [1,5]                units: 1
      unique values: 5            missing .: 44/999

      tabulation: Freq.  Numeric  Label
                   293     1    a great deal
                   502     2    an average amount
                   123     3    not much at all
                   15      4    i do not know how much this
                               person knows

```

22 5 i do not talk about these issues
44 . with anyone else

secondsupport second person supports candidates of which party (pre)

type: numeric (byte)
label: LABK

range: [1,5] units: 1
unique values: 5 missing .: 65/999

tabulation: Freq. Numeric Label
306 1 republicans
350 2 democrats
196 3 both
40 4 neither
42 5 i do not know
65 .

freqtalk12 frequency first person talks with second person (pre)

type: numeric (byte)
label: LABM

range: [1,5] units: 1
unique values: 5 missing .: 65/999

tabulation: Freq. Numeric Label
149 1 every day
264 2 every week
120 3 every month
229 4 less than every month
172 5 i do not know
65 .

thirdknow how much third person knows about politics (pre)

type: numeric (byte)
label: LABL

range: [1,5] units: 1
unique values: 5 missing .: 73/999

tabulation: Freq. Numeric Label
222 1 a great deal
444 2 an average amount
157 3 not much at all
47 4 i do not know how much this
person knows
56 5 i do not talk about these issues
with anyone else
73 .

thirdsupport third person supports candidates of which party (pre)

type: numeric (byte)
label: LABK

range: [1,5] units: 1
unique values: 5 missing .: 128/999

tabulation: Freq. Numeric Label
262 1 republicans
322 2 democrats
163 3 both
40 4 neither
84 5 i do not know
128 .

freqtalk13 frequency first person talks with third person (pre)

type: numeric (byte)
label: LABM

range: [1,5] units: 1
unique values: 5 missing .: 133/999

tabulation: Freq. Numeric Label
89 1 every day
214 2 every week
106 3 every month
244 4 less than every month

213 5 i do not know
133 .

freqtalk23 frequency second person talks with third person (pre)

type: numeric (byte)
label: LABM

range: [1,5] units: 1
unique values: 5 missing .: 132/999

tabulation: Freq. Numeric Label
77 1 every day
180 2 every week
101 3 every month
260 4 less than every month
249 5 i do not know
132 .

freqonline frequency communicate with person online (pre)

type: numeric (byte)
label: freqonline

range: [1,4] units: 1
unique values: 4 missing .: 58/999

tabulation: Freq. Numeric Label
340 1 often
318 2 sometimes
133 3 rarely
150 4 never
58 .

whowon house candidate who won (post)

type: numeric (byte)
label: whowon

range: [1,3] units: 1
unique values: 3 missing .: 268/999

tabulation: Freq. Numeric Label
398 1 democrat
283 2 republican
50 3 do not recall
268 .

partycandwon party of winning house candidate (post)

type: numeric (byte)
label: partycandwon

range: [1,3] units: 1
unique values: 3 missing .: 166/999

tabulation: Freq. Numeric Label
479 1 the democratic party
293 2 the republican party
61 3 do not recall
166 .

ratebushb rating - george w. bush (post)

type: numeric (byte)
label: LABN, but 3 nonmissing values are not labeled

range: [1,6] units: 1
unique values: 6 missing .: 165/999

tabulation: Freq. Numeric Label
422 1 1 most unfavorable
81 2
89 3
145 4
96 5 5 most favorable
1 6 not sure
165 .

ratedcanb rating - democratic candidate for house (post)

```

type: numeric (byte)
label: LABN, but 3 nonmissing values are not labeled

range: [1,6]          units: 1
unique values: 6      missing .: 205/999

tabulation: Freq.  Numeric  Label
            165      1  1 most unfavorable
            95       2
            125      3
            161      4
            153      5  5 most favorable
            95       6  not sure
            205      .

-----
ratercanb                                rating - republican candidate for house (post)
-----

type: numeric (byte)
label: LABN, but 3 nonmissing values are not labeled

range: [1,6]          units: 1
unique values: 6      missing .: 233/999

tabulation: Freq.  Numeric  Label
            180      1  1 most unfavorable
            138      2
            124      3
            133      4
            87       5  5 most favorable
            104      6  not sure
            233      .

-----
persondpty                               campaign contacts - democratic - in person (post)
-----

type: numeric (byte)
label: LAB0

range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            169      1  yes
            668      2  no
            162      .

-----
personrpty                               campaign contacts - republican - in person (post)
-----

type: numeric (byte)
label: LAB0

range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            116      1  yes
            721      2  no
            162      .

-----
phonedpty                                campaign contacts - democratic - by phone (post)
-----

type: numeric (byte)
label: LAB0

range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            438      1  yes
            399      2  no
            162      .

-----
phonerpty                                campaign contacts - republican - by phone (post)
-----

type: numeric (byte)
label: LAB0

range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            441      1  yes
            396      2  no
            162      .

```



```

-----
      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  557       1   yes
                  280       2   no
                  162       .

-----
materialsrecan          house of rep contacts - republican - materials (post)
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  542       1   yes
                  295       2   no
                  162       .

-----
persuadedrpty          persuade others - democratic campaign (post)
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  256       1   yes
                  581       2   no
                  162       .

-----
persuaderpty          persuade others - republican campaign (post)
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  184       1   yes
                  653       2   no
                  162       .

-----
workdrpty          work campaign - democratic campaign (post)
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  52        1   yes
                  785       2   no
                  162       .

-----
workkrpty          work campaign - republican campaign (post)
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  22        1   yes
                  815       2   no
                  162       .

-----
attenddrpty          attend rallies - democratic campaign (post)
-----

      type: numeric (byte)

```

```

label: LAB0
range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            80      1      yes
            757     2      no
            162     .

-----
attendrpty                                attend rallies - republican campaign (post)
-----

type: numeric (byte)
label: LAB0
range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            40      1      yes
            797     2      no
            162     .

-----
signdrpty                                sign/sticker/campaign button - democratic campaign (post)
-----

type: numeric (byte)
label: LAB0
range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            110     1      yes
            727     2      no
            162     .

-----
signrpty                                  sign/sticker/campaign button - republican campaign (post)
-----

type: numeric (byte)
label: LAB0
range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            81      1      yes
            756     2      no
            162     .

-----
moneydrpty                                gave money - democratic campaign (post)
-----

type: numeric (byte)
label: LAB0
range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            129     1      yes
            708     2      no
            162     .

-----
moneyrpty                                  gave money - republican campaign (post)
-----

type: numeric (byte)
label: LAB0
range: [1,2]          units: 1
unique values: 2      missing .: 162/999

tabulation: Freq.  Numeric  Label
            99      1      yes
            738     2      no
            162     .

-----
persuadedcan                             persuade others - democratic house candidate(post)
-----

type: numeric (byte)
label: LAB0
range: [1,2]          units: 1

```



```

unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label
                200         1   yes
                637         2   no
                162         .

-----
persuadercan                                persuade others - republican house candidate (post)
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label
                152         1   yes
                685         2   no
                162         .

-----
workrdcan                                work campaign - democratic house candidate(post)
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label
                24         1   yes
                813         2   no
                162         .

-----
workrcan                                work campaign - republican house candidate (post)
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label
                9         1   yes
                828         2   no
                162         .

-----
attenddcan                                attend rallies - democratic house candidate (post)
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label
                42         1   yes
                795         2   no
                162         .

-----
attendrcan                                attend rallies - republican house candidate (post)
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label
                25         1   yes
                812         2   no
                162         .

-----
signdcan                                sign/sticker/campaign button - democratic house candidate (post)
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 162/999

  tabulation: Freq.   Numeric   Label

```

70 1 yes
767 2 no
162 .

signrcan sign/sticker/campaign button - republican house candidate (post)

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 162/999

tabulation: Freq. Numeric Label
50 1 yes
787 2 no
162 .

moneydcan gave money - democratic house candidate (post)

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 162/999

tabulation: Freq. Numeric Label
82 1 yes
755 2 no
162 .

moneyrcan gave money - republican house candidate (post)

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 162/999

tabulation: Freq. Numeric Label
52 1 yes
785 2 no
162 .

honestdcanb democratic house candidate - honest (post)

type: numeric (byte)
label: LABP

range: [1,5] units: 1
unique values: 5 missing .: 216/999

tabulation: Freq. Numeric Label
117 1 extremely well
249 2 quite well
73 3 not too well
98 4 not well at al
246 5 not sure
216 .

trustdcanb democratic house candidate - trustworthy (post)

type: numeric (byte)
label: LABP

range: [1,5] units: 1
unique values: 5 missing .: 219/999

tabulation: Freq. Numeric Label
121 1 extremely well
233 2 quite well
74 3 not too well
109 4 not well at al
243 5 not sure
219 .

competentdcanb democratic house candidate - competent (post)

type: numeric (byte)
label: LABP

range: [1,5] units: 1

```

unique values: 5                                missing .: 222/999

  tabulation: Freq.  Numeric  Label
                128      1  extremely well
                227      2   quite well
                 83      3  not too well
                114      4 not well at al
                225      5   not sure
                 222      .

-----
honestrcanb                                republican house candidate - honest (post)
-----

  type: numeric (byte)
  label: LABP

  range: [1,5]                                units: 1
unique values: 5                                missing .: 247/999

  tabulation: Freq.  Numeric  Label
                80      1  extremely well
                193      2   quite well
                121      3  not too well
                140      4 not well at al
                218      5   not sure
                 247      .

-----
trustrcanb                                republican house candidate - trustworthy (post)
-----

  type: numeric (byte)
  label: LABP

  range: [1,5]                                units: 1
unique values: 5                                missing .: 254/999

  tabulation: Freq.  Numeric  Label
                86      1  extremely well
                189      2   quite well
                114      3  not too well
                148      4 not well at al
                208      5   not sure
                 254      .

-----
competentrcanb                            republican house candidate - competent (post)
-----

  type: numeric (byte)
  label: LABP

  range: [1,5]                                units: 1
unique values: 5                                missing .: 254/999

  tabulation: Freq.  Numeric  Label
                102      1  extremely well
                206      2   quite well
                 109      3  not too well
                129      4 not well at al
                199      5   not sure
                 254      .

-----
mostimp                                    most important problem
-----

  type: numeric (byte)
  label: mostimp

  range: [1,19]                                units: 1
unique values: 18                                missing .: 1/999

  examples: 1    war in iraq
            2    terrorism
            5    corruption in government
            11   immigration

-----
mostimp_t                                text - most important problem
-----

  type: string (str64)

unique values: 61                                missing "": 938/999

  examples: ""
            ""
            ""
            ""

  warning: variable has embedded blanks

```

gwbapp

gwb approval

type: numeric (byte)
label: LABQ

range: [1,5] units: 1
unique values: 5 missing .: 2/999

tabulation: Freq. Numeric Label
 167 1 strongly approve
 207 2 somewhat approve
 81 3 somewhat disapprove
 537 4 strongly disapprove
 5 5 not sure
 2 .

votereg

voter registration status

type: numeric (byte)
label: votereg

range: [1,3] units: 1
unique values: 3 missing .: 3/999

tabulation: Freq. Numeric Label
 979 1 yes
 15 2 no
 2 3 don't know
 3 .

pid3

3 point party id

type: numeric (byte)
label: LABR

range: [1,4] units: 1
unique values: 4 missing .: 3/999

tabulation: Freq. Numeric Label
 292 1 democrat
 281 2 republican
 370 3 independent
 53 4 other
 3 .

pid3_t

text - 3 point party id

type: string (str64)

unique values: 31 missing "": 946/999

examples: ""
 ""
 ""
 ""

warning: variable has embedded blanks

guns

gun owner

type: numeric (byte)
label: LABS

range: [1,3] units: 1
unique values: 3 missing .: 16/999

tabulation: Freq. Numeric Label
 402 1 yes
 558 2 no
 23 3 not sure
 16 .

inputzip

zip input

type: string (str13)

unique values: 875 missing "": 0/999

examples: "22443"
 "45224"

"66402"
"87120"

pid7 party identification

type: numeric (byte)
label: pid7

range: [1,8] units: 1
unique values: 8 missing .: 2/999

tabulation: Freq. Numeric Label
183 1 strong democrat
107 2 weak democrat
174 3 lean democrat
97 4 independent
143 5 lean republican
119 6 weak republican
162 7 strong republican
12 8 not sure
2 .

pid3_pid 3 point party id/pid

type: string (str6)

unique values: 1 missing "": 0/999

tabulation: Freq. Value
999 "__NA__"

mostimpclد most important problem - closed-end

type: numeric (byte)
label: mostimpclد

range: [1,19] units: 1
unique values: 18 missing .: 6/999

examples: 1 war in iraq
2 terrorism
5 corruption in government
11 immigration

mostimpclد_mip most important problem - closed-end/mip

type: string (str6)

unique values: 1 missing "": 0/999

tabulation: Freq. Value
999 "__NA__"

gender gender

type: numeric (byte)
label: gender

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
456 1 male
543 2 female

race race

type: numeric (byte)
label: LABT

range: [1,8] units: 1
unique values: 8 missing .: 0/999

tabulation: Freq. Numeric Label
787 1 white
46 2 black
63 3 hispanic
12 4 asian
15 5 native american
29 6 mixed
43 7 other (please specify):

race_txt race/txt

```

type: string (str6)
unique values: 2          missing "": 7/999

tabulation: Freq. Value
              7  ""
              1  "Slavic"
             991  "__NA__"

```

educ education

```

type: numeric (byte)
label: LABU

range: [1,6]          units: 1
unique values: 6      missing .: 8/999

tabulation: Freq.  Numeric  Label
              26         1  no hs
              240        2  high school graduate
              335        3  some college
               95         4  2-year
              185        5  4-year
              110        6  post-grad
               8          .

```

marstat marital status

```

type: numeric (byte)
label: marstat

range: [1,6]          units: 1
unique values: 6      missing .: 7/999

tabulation: Freq.  Numeric  Label
              652         1  married
               21         2  separated
               62         3  divorced
               39         4  widowed
              167         5  single
               51         6  domestic partnership
               7          .

```

birthyr birth year

```

type: numeric (int)
label: birthyr, but 69 nonmissing values are not labeled

range: [1911,1988]    units: 1
unique values: 69     missing .: 0/999

examples: 1942
          1954
          1962
          1972

```

ideo5 ideology

```

type: numeric (byte)
label: LABV

range: [1,6]          units: 1
unique values: 6      missing .: 22/999

tabulation: Freq.  Numeric  Label
              58         1  very liberal
              151        2  liberal
              407        3  moderate
              279        4  conservative
               76        5  very conservative
               6         6  not sure
              22         .

```

religion religious preference

```

type: numeric (byte)
label: LABW

```

```

range: [1,7]          units: 1
unique values: 7      missing .: 20/999

tabulation: Freq.  Numeric  Label
            368      1    protestant
            207      2    catholic
            25       3    jewish
             1       4    muslim
            191      5    none
             78      6    some other religion (please
                        specify):
            109      7    other christian
             20      .

-----
religion_dm1                                religious preference/dm1
-----

type: string (str37)
unique values: 29      missing "": 384/999
examples: ""
          "Independent Baptist"
          "__NA__"
          "__NA__"
warning: variable has embedded blanks

-----
religion_dm2                                religious preference/dm2
-----

type: string (str43)
unique values: 19      missing "": 412/999
examples: ""
          ""
          "__NA__"
          "__NA__"
warning: variable has embedded blanks

-----
religion_dm3                                religious preference/dm3
-----

type: string (str39)
unique values: 19      missing "": 414/999
examples: ""
          ""
          "__NA__"
          "__NA__"
warning: variable has embedded blanks

-----
churatd                                     church attendance
-----

type: numeric (byte)
label: LABX
range: [1,5]          units: 1
unique values: 5      missing .: 19/999

tabulation: Freq.  Numeric  Label
            256      1    once a week or more
            104      2    a few times a month
            155      3    less than once a month
            450      4    almost never or never
             15      5    not sure
             19      .

-----
prayer                                     frequency of prayer
-----

type: numeric (byte)
label: LABY
range: [1,6]          units: 1
unique values: 6      missing .: 14/999

tabulation: Freq.  Numeric  Label
            274      1    several times a day
            158      2    once a day
            178      3    a few times a week
            151      4    once a week or less

```

188 5 never
36 6 other
14 .

prayer_txt frequency of prayer/txt

type: string (str64)
unique values: 12 missing "": 370/999
examples: ""
"__NA__"
"__NA__"
"__NA__"
warning: variable has embedded blanks

religimp importance of religion

type: numeric (byte)
label: LABZ
range: [1,2] units: 1
unique values: 2 missing .: 8/999
tabulation: Freq. Numeric Label
659 1 important
332 2 not important
8 .

closegay closest relationship with someone who is gay

type: numeric (byte)
label: LABAA
range: [1,5] units: 1
unique values: 5 missing .: 487/999
tabulation: Freq. Numeric Label
27 1 myself
109 2 member of my family
128 3 close friend
80 4 co-worker
168 5 acquaintance
487 .

employ employment status

type: numeric (byte)
label: LABAB
range: [1,9] units: 1
unique values: 9 missing .: 10/999
tabulation: Freq. Numeric Label
465 1 full-time
96 2 part-time
2 3 temporarily laid off
19 4 unemployed
191 5 retired
20 6 permanently disabled
71 7 homemaker
50 8 student
75 9 other
10 .

employ_job employment status/job

type: string (str48)
unique values: 21 missing "": 383/999
examples: ""
"__NA__"
"__NA__"
"__NA__"
warning: variable has embedded blanks

income family income

```

        type: numeric (byte)
        label: LABAC

        range: [1,15]          units: 1
        unique values: 15      missing .: 32/999

        examples: 6      $30,000 - $39,999
                  9      $60,000 - $69,999
                  11     $80,000 - $99,999
                  14     $150,000 or more
    -----
ownhome                                     home ownership
-----

        type: numeric (byte)
        label: LABAD

        range: [1,3]          units: 1
        unique values: 3      missing .: 8/999

        tabulation: Freq.  Numeric  Label
                   753      1      own
                   200      2      rent
                   38       3      other (please specify):
                   8       .

    -----
ownhome_txt                               home ownership/txt
-----

        type: string (str64)

        unique values: 10      missing "": 417/999

        examples: ""
                  ""
                  "__NA__"
                  "__NA__"

        warning: variable has embedded blanks
    -----
natileconyear                             better/worse nation's economy in past yr
-----

        type: numeric (byte)
        label: LABAE

        range: [1,6]          units: 1
        unique values: 6      missing .: 0/999

        tabulation: Freq.  Numeric  Label
                   163      1      gotten much better
                   223      2      gotten better
                   213      3      stayed about the same
                   259      4      gotten worse
                   126      5      gotten much worse
                   15       6      not sure
    -----
stateeconyear                             better/worse state's economy in past yr
-----

        type: numeric (byte)
        label: LABAE

        range: [1,6]          units: 1
        unique values: 6      missing .: 1/999

        tabulation: Freq.  Numeric  Label
                   85       1      gotten much better
                   228      2      gotten better
                   313      3      stayed about the same
                   271      4      gotten worse
                   73       5      gotten much worse
                   28       6      not sure
                   1       .
    -----
dceconyear                                district of columbia economy
-----

        type: numeric (byte)
        label: LABAE

        range: [.,.]          units: .
        unique values: 0      missing .: 999/999

        tabulation: Freq.  Numeric  Label
                   999      .
    -----

```

iraqmistake mistake to invade iraq

type: numeric (byte)
label: iraqmistake

range: [1,3] units: 1
unique values: 3 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	571	1	yes
	363	2	no
	65	3	not sure

govapp governor approval

type: numeric (byte)
label: LABQ

range: [1,5] units: 1
unique values: 5 missing .: 1/999

tabulation:	Freq.	Numeric	Label
	162	1	strongly approve
	304	2	somewhat approve
	218	3	somewhat disapprove
	263	4	strongly disapprove
	51	5	not sure
	1	.	.

govpidrecall governor - partyid

type: numeric (byte)
label: LABAF

range: [1,4] units: 1
unique values: 4 missing .: 1/999

tabulation:	Freq.	Numeric	Label
	360	1	democrat
	585	2	republican
	2	3	independent
	51	4	don't know
	1	.	.

sen1app senator 1 approval

type: numeric (byte)
label: LABQ

range: [1,5] units: 1
unique values: 5 missing .: 1/999

tabulation:	Freq.	Numeric	Label
	210	1	strongly approve
	289	2	somewhat approve
	180	3	somewhat disapprove
	247	4	strongly disapprove
	72	5	not sure
	1	.	.

sen1pidrecall senator 1 - partyid

type: numeric (byte)
label: LABAF

range: [1,4] units: 1
unique values: 3 missing .: 3/999

tabulation:	Freq.	Numeric	Label
	452	1	democrat
	473	2	republican
	71	4	don't know
	3	.	.

sen2app senator 2 approval

type: numeric (byte)
label: LABQ

range: [1,5] units: 1
unique values: 5 missing .: 4/999

tabulation:	Freq.	Numeric	Label
	205	1	strongly approve
	263	2	somewhat approve
	163	3	somewhat disapprove
	266	4	strongly disapprove
	98	5	not sure
	4	.	

sen2pidrecall	senator 2 - partyid
---------------	---------------------

type: numeric (byte)	
label: LABAF	
range: [1,4]	units: 1
unique values: 4	missing .: 0/999

tabulation:	Freq.	Numeric	Label
	403	1	democrat
	501	2	republican
	5	3	independent
	90	4	don't know

congmanapp	house member approval
------------	-----------------------

type: numeric (byte)	
label: LABQ	
range: [1,5]	units: 1
unique values: 5	missing .: 2/999

tabulation:	Freq.	Numeric	Label
	241	1	strongly approve
	244	2	somewhat approve
	157	3	somewhat disapprove
	220	4	strongly disapprove
	135	5	not sure
	2	.	

congmanpid	house member - partyid
------------	------------------------

type: numeric (byte)	
label: LABAF	
range: [1,4]	units: 1
unique values: 4	missing .: 0/999

tabulation:	Freq.	Numeric	Label
	329	1	democrat
	541	2	republican
	2	3	independent
	127	4	don't know

abortopinion	stmt most agrees w/ view on abortion
--------------	--------------------------------------

type: numeric (byte)	
label: abortopinion	
range: [1,5]	units: 1
unique values: 5	missing .: 1/999

tabulation:	Freq.	Numeric	Label
	88	1	by law, abortion should never be permitted
	252	2	the law should permit abortion only in case of rape, incest
	134	3	the law should permit abortion for reasons other than rape,
	449	4	by law, a woman should always be able to obtain an abortion
	75	5	other (please specify):
	1	.	

abortopinion_t	stmt most agrees w/ view on abortion - other
----------------	--

type: string (str64)	
unique values: 73	missing "": 925/999

examples: ""
""
""
""

warning: variable has embedded blanks

abortimport importance of abortion issue

type: numeric (byte)
label: LABAG

range: [1,4] units: 1
unique values: 4 missing .: 1/999

tabulation: Freq. Numeric Label
401 1 very important
291 2 important
208 3 somewhat important
98 4 not important
1 .

environ_statement stmt most agrees w/ view on environ protection

type: numeric (byte)
label: environ_statement

range: [1,6] units: 1
unique values: 6 missing .: 5/999

tabulation: Freq. Numeric Label
275 1 much more important to protect
environment even if lose jobs
244 2 environment somewhat more
important
195 3 about the same
160 4 economy somewhat more important
89 5 much more important to protect
jobs, even if environment wor
31 6 haven't thought much about this
5 .

environmentimport importance of environ protection issue

type: numeric (byte)
label: LABAG

range: [1,4] units: 1
unique values: 4 missing .: 2/999

tabulation: Freq. Numeric Label
293 1 very important
376 2 important
276 3 somewhat important
52 4 not important
2 .

ssprop favor/oppose - private retirement acct for ss

type: numeric (byte)
label: ssprop

range: [1,5] units: 1
unique values: 5 missing .: 1/999

tabulation: Freq. Numeric Label
271 1 strongly favor
177 2 somewhat favor
117 3 neither favor nor oppose it
101 4 somewhat oppose
332 5 strongly oppose
1 .

ssprop2 lean - primate retirement acct for ss

type: numeric (byte)
label: ssprop2

range: [1,3] units: 1
unique values: 3 missing .: 882/999

tabulation: Freq. Numeric Label
24 1 lean toward favoring
26 2 lean toward opposing
67 3 don't lean either way
882 .

ssimport ----- importance of private retire acct for ss issue -----

type: numeric (byte)
label: LABAG

range: [1,4] units: 1
unique values: 4 missing .: 4/999

tabulation: Freq. Numeric Label
407 1 very important
313 2 important
207 3 somewhat important
68 4 not important
4 .

afact_x ----- agree/disagree - affirmative act pgm required -----

type: numeric (byte)
label: afact_x

range: [1,7] units: 1
unique values: 7 missing .: 3/999

tabulation: Freq. Numeric Label
106 1
98 2
117 3
182 4
87 5
114 6
292 7
3 .

afactimp ----- importance of affirmative act pgm issue -----

type: numeric (byte)
label: LABAG

range: [1,4] units: 1
unique values: 4 missing .: 2/999

tabulation: Freq. Numeric Label
197 1 very important
287 2 important
368 3 somewhat important
145 4 not important
2 .

miluse_oil ----- military use - ensure the supply of oil -----

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 2/999

tabulation: Freq. Numeric Label
181 1 yes
816 2 no
2 .

miluse_tcamp ----- military use - destroy a terrorist camp -----

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 2/999

tabulation: Freq. Numeric Label
709 1 yes
288 2 no
2 .

miluse_civilwar ----- military use - intervene in genocide or civil war -----

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 2/999

`miluse_democracy` military use - spread democracy

miluse_allies	military use - protect american allies
---------------	--

miluse_un military use - help un

miluse_none	military use - none
-------------	---------------------

heardofrep1 have you heard of house cand 1?

```
likerep1                                please tell us what you like about house cand 1
```

```

warning: variable has leading, embedded, and trailing blanks
-----
notlikerep1                                please tell us anything you don't like about house cand 1
-----

      type: string (str244)
unique values: 468                        missing "": 311/999

examples: ""
          "He is a typical party hack."
          "Nothing so far."
          "__NA__"

warning: variable has leading, embedded, and trailing blanks
-----
heardofrep2                                have you heard of house cand 2?
-----

      type: numeric (byte)
label: LAB0

range: [1,2]                            units: 1
unique values: 2                        missing .: 115/999

tabulation: Freq.   Numeric   Label
              707         1   yes
              177         2   no
              115         .
-----
likerep2                                    please tell us what you like about house cand 2
-----

      type: string (str244)
unique values: 440                      missing "": 180/999

examples: "Alternative energy proponent."
          "I like that he has a great plan for immigration and
          supports privatizing social security. He has
          experience in government and seems to have a genuine
          concern about things that are important to me."
          "__NA__"
          "__NA__"

warning: variable has leading, embedded, and trailing blanks
-----
notlikerep2                                please tell us anything you don't like about house cand 2
-----

      type: string (str244)
unique values: 441                      missing "": 227/999

examples: ""
          "His negative ad campaign. The fact that he seems to
          be riding on his father's coat tails."
          "__NA__"
          "__NA__"

warning: variable has leading, embedded, and trailing blanks
-----
selfplace_dk                               dk - ideological spectrum - self
-----

      type: numeric (byte)
label: LAB0

range: [1,2]                            units: 1
unique values: 2                        missing .: 0/999

tabulation: Freq.   Numeric   Label
              58         1   yes
              941        2   no
-----
selfplace                                  ideological spectrum - self
-----

      type: numeric (int)
label: LABAH, but 100 nonmissing values are not labeled

range: [0,227]                          units: 1
unique values: 100                      missing .: 58/999

```

examples: 30
50
65
87

demplace_dk dk - ideological spectrum - democratic party

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
57 1 yes
942 2 no

demplace ideological spectrum - democratic party

type: numeric (int)
label: LABAH, but 87 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 87 missing .: 72/999

examples: 6
21
36
50

gopplace_dk dk - ideological spectrum - republican party

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
59 1 yes
940 2 no

gopplace ideological spectrum - republican party

type: numeric (int)
label: LABAH, but 87 nonmissing values are not labeled

range: [1,227] units: 1
unique values: 87 missing .: 72/999

examples: 63
79
91
99

rep cand 1 place_dk dk - ideological spectrum - house cand 1

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
322 1 yes
677 2 no

rep cand 1 place ideological spectrum - house cand 1

type: numeric (byte)
label: LABAH, but 91 nonmissing values are not labeled

range: [0,100] units: 1
unique values: 91 missing .: 332/999

examples: 20
41
60
.

rep cand2place_dk dk - ideological spectrum - house cand 2

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 114/999

tabulation: Freq. Numeric Label
310 1 yes
575 2 no
114 .

rep cand2place ideological spectrum - house cand 2

type: numeric (int)
label: LABAH, but 74 nonmissing values are not labeled

range: [1,227] units: 1
unique values: 74 missing .: 437/999

examples: 75
95
.
.

sen cand1place_dk dk - ideological spectrum - sen cand 1

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 257/999

tabulation: Freq. Numeric Label
132 1 yes
610 2 no
257 .

sen cand1place ideological spectrum - sen cand 1

type: numeric (int)
label: LABAH, but 85 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 85 missing .: 396/999

examples: 17
43
97
.

sen cand2place_dk dk - ideological spectrum - sen cand 2

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 257/999

tabulation: Freq. Numeric Label
194 1 yes
548 2 no
257 .

sen cand2place ideological spectrum - sen cand 2

type: numeric (int)
label: LABAH, but 74 nonmissing values are not labeled

range: [2,227] units: 1
unique values: 74 missing .: 459/999

examples: 75
96
.
.

sen1place_dk dk - ideological spectrum - senator 1

```

    type: numeric (byte)
    label: LAB0

    range: [1,2]          units: 1
    unique values: 2      missing .: 398/999

    tabulation: Freq.   Numeric   Label
                 67      1   yes
                 534     2   no
                 398     .

```

```

sen1place                                     ideological spectrum - senator 1

```

```

    type: numeric (int)
    label: LABAH, but 97 nonmissing values are not labeled

    range: [0,227]        units: 1
    unique values: 97      missing .: 470/999

    examples: 40
              80
              .
              .

```

```

sen2place_dk                                dk - ideological spectrum - senator 2

```

```

    type: numeric (byte)
    label: LAB0

    range: [1,2]          units: 1
    unique values: 2      missing .: 317/999

    tabulation: Freq.   Numeric   Label
                 100      1   yes
                 582     2   no
                 317     .

```

```

sen2place                                     ideological spectrum - senator 2

```

```

    type: numeric (int)
    label: LABAH, but 102 nonmissing values are not labeled

    range: [0,187]        units: 1
    unique values: 102     missing .: 419/999

    examples: 42
              78
              .
              .

```

```

govcand1place_dk                            dk - ideological spectrum - gov cand 1

```

```

    type: numeric (byte)
    label: LAB0

    range: [1,2]          units: 1
    unique values: 2      missing .: 221/999

    tabulation: Freq.   Numeric   Label
                 105      1   yes
                 673     2   no
                 221     .

```

```

govcand1place                                ideological spectrum - gov cand 1

```

```

    type: numeric (int)
    label: LABAH, but 84 nonmissing values are not labeled

    range: [0,227]        units: 1
    unique values: 84      missing .: 331/999

    examples: 15
              40
              56
              .

```

```

govcand2place_dk                            dk - ideological spectrum - gov cand 2

```

```

    type: numeric (byte)
    label: LAB0

```

```

        range: [1,2]                units: 1
unique values: 2                missing .: 221/999

        tabulation: Freq.  Numeric  Label
                   147      1  yes
                   631      2  no
                   221      .

-----
govcand2place                                ideological spectrum - gov cand 2
-----

        type: numeric (int)
        label: LABAH, but 73 nonmissing values are not labeled

        range: [1,227]              units: 1
unique values: 73                missing .: 372/999

        examples: 70
                  85
                  100
                  .

-----
govplace_dk                                dk - ideological spectrum - governor
-----

        type: numeric (byte)
        label: LAB0

        range: [1,2]                units: 1
unique values: 2                missing .: 501/999

        tabulation: Freq.  Numeric  Label
                   58      1  yes
                   440      2  no
                   501      .

-----
govplace                                ideological spectrum - governor
-----

        type: numeric (int)
        label: LABAH, but 94 nonmissing values are not labeled

        range: [1,187]              units: 1
unique values: 94                missing .: 566/999

        examples: 66
                  99
                  .
                  .

-----
vote06turn                                turnout intent for 2006 election
-----

        type: numeric (byte)
        label: vote06turn

        range: [1,4]                units: 1
unique values: 4                missing .: 1/999

        tabulation: Freq.  Numeric  Label
                   18      1  no
                   18      2  not sure
                   783      3  yes
                   179      4  i already voted, absentee or
                           early
                   1      .

-----
housevote                                us house candidate voting for
-----

        type: numeric (byte)
        label: LABAI

        range: [1,5]                units: 1
unique values: 5                missing .: 30/999

        tabulation: Freq.  Numeric  Label
                   448      1
                   297      2
                   57      3  other (please specify):
                   14      4  i won't vote in this election
                   153      5  haven't decided
                   30      .

-----
housevote_t                                us house candidate voting for - other
-----

```

```

    type: string (str63)
unique values: 52          missing "": 927/999
examples: ""
          ""
          ""
          ""

warning: variable has embedded blanks
-----
senvote                                     us senate candidate voting for
-----

    type: numeric (byte)
    label: LABAI
    range: [1,5]          units: 1
unique values: 5          missing .: 279/999

    tabulation: Freq.  Numeric  Label
                354      1
                278      2
                18      3 other (please specify):
                 7      4 i won't vote in this election
                63      5 haven't decided
                279      .

-----
senvote_t                                   us senate candidate voting for - other
-----

    type: string (str64)
unique values: 16          missing "": 709/999
examples: ""
          ""
          ""
          "__NA__"

warning: variable has embedded blanks
-----
govvote                                    governor candidate voting for
-----

    type: numeric (byte)
    label: LABAI
    range: [1,5]          units: 1
unique values: 5          missing .: 239/999

    tabulation: Freq.  Numeric  Label
                362      1
                282      2
                 47      3 other (please specify):
                  6      4 i won't vote in this election
                 63      5 haven't decided
                239      .

-----
govvote_t                                   governor candidate voting for - other
-----

    type: string (str39)
unique values: 40          missing "": 717/999
examples: ""
          ""
          ""
          "__NA__"

warning: variable has embedded blanks
-----
partbirthself                             for/against ban late-term abortions - self vote
-----

    type: numeric (byte)
    label: LABAJ
    range: [1,3]          units: 1
unique values: 3          missing .: 2/999

    tabulation: Freq.  Numeric  Label
                483      1 for
                411      2 against (that is, not to ban
                        late-term abortion)
                103      3 don't know

```

 parbirthsen1 for/against ban late-term abortions - senator 1 vote

type: numeric (byte)
 label: LABAJ

 range: [1,3] units: 1
 unique values: 3 missing .: 5/999

 tabulation: Freq. Numeric Label
 406 1 for
 256 2 against (that is, not to ban
 late-term abortion)
 332 3 don't know
 5 .

 parbirthsen2 for/against ban late-term abortions - senator 2 vote

type: numeric (byte)
 label: LABAJ

 range: [1,3] units: 1
 unique values: 3 missing .: 3/999

 tabulation: Freq. Numeric Label
 456 1 for
 242 2 against (that is, not to ban
 late-term abortion)
 298 3 don't know
 3 .

 stemself for/against fed funds stem cell research - self vote

type: numeric (byte)
 label: stemself

 range: [1,3] units: 1
 unique values: 3 missing .: 2/999

 tabulation: Freq. Numeric Label
 618 1 for
 298 2 against
 81 3 dk
 2 .

 stemsen1 for/against fed funds stem cell research - senator 1 vote

type: numeric (byte)
 label: LABAK

 range: [1,3] units: 1
 unique values: 3 missing .: 7/999

 tabulation: Freq. Numeric Label
 441 1 for
 267 2 against
 284 3 don't know
 7 .

 stemsen2 for/against fed funds stem cell research - senator 2 vote

type: numeric (byte)
 label: LABAK

 range: [1,3] units: 1
 unique values: 3 missing .: 1/999

 tabulation: Freq. Numeric Label
 346 1 for
 376 2 against
 276 3 don't know
 1 .

 iraqself for/against withdrawing troops this yr - self vote

type: numeric (byte)
 label: LABAK

 range: [1,3] units: 1
 unique values: 3 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	557	1	for
	367	2	against
	75	3	don't know

iraqsen1 for/against withdrawing troops this yr - senator 1 vote

type:	numeric (byte)
label:	LABAK
range:	[1,3]
unique values:	3
units:	1
missing .:	4/999

tabulation:	Freq.	Numeric	Label
	340	1	for
	361	2	against
	294	3	don't know
	4	.	

iraqsen2 for/against withdrawing troops this yr - senator 2 vote

type:	numeric (byte)
label:	LABAK
range:	[1,3]
unique values:	3
units:	1
missing .:	1/999

tabulation:	Freq.	Numeric	Label
	288	1	for
	425	2	against
	285	3	don't know
	1	.	

immself for/against immigrants become citizens - self vote

type:	numeric (byte)
label:	LABAK
range:	[1,3]
unique values:	3
units:	1
missing .:	3/999

tabulation:	Freq.	Numeric	Label
	367	1	for
	558	2	against
	71	3	don't know
	3	.	

immsen1 for/against immigrants become citizens - senator 1 vote

type:	numeric (byte)
label:	LABAK
range:	[1,3]
unique values:	3
units:	1
missing .:	6/999

tabulation:	Freq.	Numeric	Label
	393	1	for
	213	2	against
	387	3	don't know
	6	.	

immsen2 for/against immigrants become citizens - senator 2 vote

type:	numeric (byte)
label:	LABAK
range:	[1,3]
unique values:	3
units:	1
missing .:	3/999

tabulation:	Freq.	Numeric	Label
	349	1	for
	279	2	against
	368	3	don't know
	3	.	

minwageself for/against incr min wage - self vote

type:	numeric (byte)
label:	LABAK

```

        range: [1,3]                units: 1
unique values: 3                missing .: 4/999

    tabulation: Freq.  Numeric  Label
                698      1      for
                257      2      against
                40       3      don't know
                4         .

-----
minwagesen1                                for/against immigrants become citizens - senator 1 vote
-----

    type: numeric (byte)
    label: LABAK

        range: [1,3]                units: 1
unique values: 3                missing .: 5/999

    tabulation: Freq.  Numeric  Label
                441      1      for
                252      2      against
                301      3      don't know
                5         .

-----
minwagesen2                                for/against immigrants become citizens - senator 2 vote
-----

    type: numeric (byte)
    label: LABAK

        range: [1,3]                units: 1
unique values: 3                missing .: 6/999

    tabulation: Freq.  Numeric  Label
                365      1      for
                306      2      against
                322      3      don't know
                6         .

-----
captaxself                                for/against extend cap gains tax cuts - self vote
-----

    type: numeric (byte)
    label: LABAK

        range: [1,3]                units: 1
unique values: 3                missing .: 3/999

    tabulation: Freq.  Numeric  Label
                469      1      for
                441      2      against
                86       3      don't know
                3         .

-----
captaxsen1                                for/against extend cap gains tax cuts - senator 1 vote
-----

    type: numeric (byte)
    label: LABAK

        range: [1,3]                units: 1
unique values: 3                missing .: 10/999

    tabulation: Freq.  Numeric  Label
                384      1      for
                289      2      against
                316      3      don't know
                10         .

-----
captaxsen2                                for/against extend cap gains tax cuts - senator 2 vote
-----

    type: numeric (byte)
    label: LABAK

        range: [1,3]                units: 1
unique values: 3                missing .: 4/999

    tabulation: Freq.  Numeric  Label
                426      1      for
                249      2      against
                320      3      don't know
                4         .

-----
caftaself                                for/against ratify trade agreement - self vote
-----

```

```

    type: numeric (byte)
    label: LABAK

    range: [1,3]          units: 1
    unique values: 3      missing .: 4/999

    tabulation: Freq.   Numeric   Label
                261      1        for
                529      2        against
                205      3        don't know
                 4        .

-----
caftasen1                                for/against ratify trade agreement - senator 1 vote
-----

    type: numeric (byte)
    label: LABAK

    range: [1,3]          units: 1
    unique values: 3      missing .: 11/999

    tabulation: Freq.   Numeric   Label
                350      1        for
                144      2        against
                494      3        don't know
                 11        .

-----
caftasen2                                for/against ratify trade agreement - senator 2 vote
-----

    type: numeric (byte)
    label: LABAK

    range: [1,3]          units: 1
    unique values: 3      missing .: 9/999

    tabulation: Freq.   Numeric   Label
                352      1        for
                138      2        against
                500      3        don't know
                 9        .

-----
neigh_active                             political activity level of neighborhood
-----

    type: numeric (byte)
    label: LABAL, but 7 nonmissing values are not labeled

    range: [1,7]          units: 1
    unique values: 7      missing .: 566/999

    tabulation: Freq.   Numeric   Label
                37      1
                88      2
                86      3
                104     4
                63      5
                47      6
                 8      7
                566     .

-----
neigh_party                              party mostly in neighborhood
-----

    type: numeric (byte)
    label: LABAL, but 7 nonmissing values are not labeled

    range: [1,7]          units: 1
    unique values: 7      missing .: 567/999

    tabulation: Freq.   Numeric   Label
                28      1
                62      2
                55      3
                135     4
                69      5
                65      6
                18      7
                567     .

-----
cty_party                                party mostly in county
-----

    type: numeric (byte)
    label: LABAL, but 7 nonmissing values are not labeled

    range: [1,7]          units: 1
    unique values: 7      missing .: 565/999

```


length_yr	length of time in city - yrs
-----------	------------------------------

length_mo	length of time in city - months
-----------	---------------------------------

addlen_yr	length of time at address - yrs
-----------	---------------------------------

addlen_mo	length of time at address - months
-----------	------------------------------------

tv	tv in the household
----	---------------------

polinterest	level of interest in politics/current events
-------------	--

tabulation:	Freq.	Numeric	Label
	6	1	very much interested
	6	2	somewhat interested
	5	3	not much interested
	1	4	not sure
	981	.	

----- cable cable tv -----

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 12/999

tabulation:	Freq.	Numeric	Label
	624	1	yes
	363	2	no
	12	.	

----- satellite satellite tv -----

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 8/999

tabulation:	Freq.	Numeric	Label
	312	1	yes
	679	2	no
	8	.	

----- freqnews_nat freq watched pask wk - national evening news -----

type: numeric (byte)
label: LABA0
range: [1,4] units: 1
unique values: 4 missing .: 594/999

tabulation:	Freq.	Numeric	Label
	127	1	not at all
	64	2	once or twice
	56	3	a few times
	158	4	almost every day
	594	.	

----- freqnews_early freq watched pask wk - early local news -----

type: numeric (byte)
label: LABA0
range: [1,4] units: 1
unique values: 4 missing .: 602/999

tabulation:	Freq.	Numeric	Label
	155	1	not at all
	74	2	once or twice
	64	3	a few times
	104	4	almost every day
	602	.	

----- freqnews_late freq watched pask wk - late local news -----

type: numeric (byte)
label: LABA0
range: [1,4] units: 1
unique values: 4 missing .: 607/999

tabulation:	Freq.	Numeric	Label
	163	1	not at all
	108	2	once or twice
	51	3	a few times
	70	4	almost every day
	607	.	

----- mostfreq which network do you watch most frequently for national even -----

```

    type: numeric (byte)
    label: LABAP

    range: [1,8]
    unique values: 8

    units: 1
    missing .: 722/999
```

```

tabulation: Freq.  Numeric  Label
              36         1  abc world news with charles
              22         2  cbs evening news with katie
              46         3  cnn
              81         4  fox news
              17         5  pbs the newshour with jim lehrer
              53         6  nbc nightly news with brian
                   williams
              20         7  msnbc
               2         8  other, please specify
              722         .
```

```
-----
earlyloc                                     channel most freq watched for early local news
-----
```

```

    type: string (str8)

    unique values: 54
    missing "": 45/999

    examples: "5"
              "__NA__"
              "__NA__"
              "__NA__"

    warning: variable has leading and embedded blanks
```

```
-----
earlyloc_d                                   channel most freq watched for early local news - dk
-----
```

```

    type: numeric (byte)
    label: LAB0

    range: [1,2]
    unique values: 2

    units: 1
    missing .: 718/999

    tabulation: Freq.  Numeric  Label
                  37         1  yes
                  244        2  no
                  718         .
```

```
-----
lateloc                                      channel most freq watched for late local news
-----
```

```

    type: string (str7)

    unique values: 56
    missing "": 49/999

    examples: "5"
              "__NA__"
              "__NA__"
              "__NA__"

    warning: variable has leading and embedded blanks
```

```
-----
lateloc_d                                   channel most freq watched for late local news - dk
-----
```

```

    type: numeric (byte)
    label: LAB0

    range: [1,2]
    unique values: 2

    units: 1
    missing .: 726/999

    tabulation: Freq.  Numeric  Label
                  39         1  yes
                  234        2  no
                  726         .
```

```
-----
anchname                                     do you happen to know the name of the anchor on the station
-----
```

```

    type: string (str221)

    unique values: 225
    missing "": 179/999

    examples: "Brit Hume"
              "__NA__"
              "__NA__"
              "__NA__"
```

warning: variable has leading and embedded blanks

tvprog_mag news magazine shows such as 60 minutes or dateline

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 585/999

tabulation:	Freq.	Numeric	Label
	175	1	not at all
	170	2	once or twice
	57	3	a few times
	12	4	almost every day
	585	.	

tvprog_sport sports news on espn or fox sports channel

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 596/999

tabulation:	Freq.	Numeric	Label
	237	1	not at all
	76	2	once or twice
	65	3	a few times
	25	4	almost every day
	596	.	

tvprog_dave late night tv shows such as david letterman and jay leno

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 591/999

tabulation:	Freq.	Numeric	Label
	252	1	not at all
	104	2	once or twice
	39	3	a few times
	13	4	almost every day
	591	.	

tvprog_et entertainment shows such as entertainment tonight or access

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 592/999

tabulation:	Freq.	Numeric	Label
	304	1	not at all
	75	2	once or twice
	25	3	a few times
	3	4	almost every day
	592	.	

tvprog_goooool univision or some other spanish-language television network

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 593/999

tabulation:	Freq.	Numeric	Label
	378	1	not at all
	20	2	once or twice
	5	3	a few times
	3	4	almost every day
	593	.	

tvprog_pbs pbs

type: numeric (byte)
label: LABA0

tabulation:	Freq.	Numeric	Label
	158	1	not at all
	141	2	once or twice
	84	3	a few times
	29	4	almost every day
	587	.	

walmart	wal-mart shopper
---------	------------------

```
tabulation: Freq Numeric Label
```

770	1	yes
210	2	no
5	3	not sure
14	.	

```
walmart2                                how often shop at wal-mart
```

religimp2 amt of guidance religion provides to daily life

bornagain born again

unioninfl	amt of influence you'd like labor unions to have
-----------	--

```

      type: numeric (byte)
      label: LABAS

      range: [1,3]          units: 1
unique values: 3           missing.: 571/999

      tabulation: Freq.   Numeric   Label
                  128      1         more influence than they have
                        114      2         today
                        114      2         the same amount of influence as
                        186      3         they have today
                        571      3         less influence than they have
                        571      .         today

```

minwage favor/oppose raising min wage over next 2 yrs

type: numeric (byte)
label: LABAT

range: [1,2] units: 1
unique values: 2 missing .: 570/999

tabulation: Freq. Numeric Label
287 1 favor
142 2 oppose
570 .

jobclass classification of employer

type: numeric (byte)
label: LABAU

range: [1,8] units: 1
unique values: 8 missing .: 442/999

tabulation: Freq. Numeric Label
311 1 for-profit
61 2 non-profit
52 3 local or state government
20 4 federal
4 5 the armed services
79 6 self-employed, for-profit
3 7 self-employed, non-profit
27 8 other
442 .

jobclass_txt classification of employer/txt

type: string (str22)

unique values: 18 missing "": 237/999

examples: ""
"__NA__"
"__NA__"
"__NA__"

warning: variable has embedded blanks

jobdescribe job description

type: string (str50)

unique values: 430 missing "": 7/999

examples: "Plant Foerman (Head Castodian)"
"__NA__"
"__NA__"
"digital production specialist"

warning: variable has embedded blanks

jobdescriberet job description - retire or tlo

type: string (str50)

unique values: 183 missing "": 3/999

examples: "__NA__"
"__NA__"
"__NA__"
"__NA__"

warning: variable has leading and embedded blanks

industrydes industry description

type: string (str44)

unique values: 314 missing "": 5/999

examples: "Software Development"
"__NA__"
"__NA__"

"education"

warning: variable has embedded blanks

industrydesret industry - retired or tlo

type: string (str50)

unique values: 159 missing "": 5/999

examples: "__NA__"
"__NA__"
"__NA__"
"__NA__"

warning: variable has leading and embedded blanks

teacher work in public education

type: numeric (byte)
label: LABAV

range: [2,4] units: 1
unique values: 3 missing .: 967/999

tabulation:	Freq.	Numeric	Label
	5	2	second
	4	3	college
	23	4	no
	967	.	

industrydescribe in what industry is your business?

type: string (str47)

unique values: 27 missing "": 7/999

examples: "__NA__"
"__NA__"
"__NA__"
"__NA__"

warning: variable has embedded blanks

second do you have a second job?

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 744/999

tabulation:	Freq.	Numeric	Label
	40	1	yes
	215	2	no
	744	.	

hours about how many hours per week do you work at the second job?

type: numeric (byte)
label: LABAW, but 12 nonmissing values are not labeled

range: [2,30] units: 1
unique values: 12 missing .: 965/999

examples: .
.
.
.

secjobclass who worked for in 2nd job

type: numeric (byte)
label: LABAU

range: [1,8] units: 1
unique values: 6 missing .: 959/999

tabulation:	Freq.	Numeric	Label
	17	1	for-profit
	2	2	non-profit

secjobclass_txt	who worked for in 2nd job - other text
-----------------	--

unionmember	union membership
-------------	------------------

unionmember_nme	union membership/name
-----------------	-----------------------

unionhh	hh member of labor union
---------	--------------------------

unionhh_name	name of labor union
--------------	---------------------

investor stock ownership


```

        range: [1,2]                units: 1
unique values: 2                missing .: 56/999

    tabulation: Freq.  Numeric  Label
                627      1    yes
                316      2    no
                56       .

-----
pickup                                     truck driving
-----

    type: numeric (byte)
    label: LABAM

        range: [1,2]                units: 1
unique values: 2                missing .: 3/999

    tabulation: Freq.  Numeric  Label
                338      1    yes
                658      2    no
                 3       .

-----
mixed_white                               mixed race - white
-----

    type: numeric (byte)
    label: LABAZ

        range: [1,1]                units: 1
unique values: 1                missing .: 994/999

    tabulation: Freq.  Numeric  Label
                 5      1    yes
                994      .

-----
mixed_black                               mixed race - black
-----

    type: numeric (byte)
    label: LABAZ

        range: [1,2]                units: 1
unique values: 2                missing .: 994/999

    tabulation: Freq.  Numeric  Label
                 1      1    yes
                 4      2    no
                994      .

-----
mixed_hisp                               mixed race - hispanic
-----

    type: numeric (byte)
    label: LABAZ

        range: [1,2]                units: 1
unique values: 2                missing .: 994/999

    tabulation: Freq.  Numeric  Label
                 2      1    yes
                 3      2    no
                994      .

-----
mixed_asian                               mixed race - asian
-----

    type: numeric (byte)
    label: LABAZ

        range: [2,2]                units: 1
unique values: 1                missing .: 994/999

    tabulation: Freq.  Numeric  Label
                 5      2    no
                994      .

-----
mixed_seasian                             mixed race - southeast asian
-----

    type: numeric (byte)
    label: LABAZ

        range: [2,2]                units: 1
unique values: 1                missing .: 994/999

    tabulation: Freq.  Numeric  Label
                 5      2    no

```

994 .

mixed_sasian mixed race - south asian

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 994/999

tabulation: Freq. Numeric Label
5 2 no
994 .

mixed_islander mixed race - pacific islander

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 994/999

tabulation: Freq. Numeric Label
5 2 no
994 .

mixed_amindian mixed race - american indian

type: numeric (byte)
label: LABAZ

range: [1,2] units: 1
unique values: 2 missing .: 994/999

tabulation: Freq. Numeric Label
2 1 yes
3 2 no
994 .

mixed_mideast mixed race - middle eastern

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 994/999

tabulation: Freq. Numeric Label
5 2 no
994 .

mixed_other mixed race - other

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 994/999

tabulation: Freq. Numeric Label
5 2 no
994 .

mixed_txt text - mixed race - other

type: string (str6)

unique values: 1 missing "": 5/999

tabulation: Freq. Value
5 ""
994 "__NA__"

mil_a i am currently serving in the u.s. military

type: numeric (byte)
label: LAB0

range: [1,2] units: 1

```

unique values: 2                                missing .: 0/999

  tabulation: Freq.   Numeric   Label
                5           1   yes
                994          2   no
-----
mil_b                                i have immediate family members currently serving in the u.s
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 0/999

  tabulation: Freq.   Numeric   Label
                140          1   yes
                859          2   no
-----
mil_c                                i previously served in the u.s. military but i am no longer
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 0/999

  tabulation: Freq.   Numeric   Label
                162          1   yes
                837          2   no
-----
mil_d                                members of family have served in us military
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 0/999

  tabulation: Freq.   Numeric   Label
                564          1   yes
                435          2   no
-----
mil_e                                neither r nor members of family served in us military
-----

  type: numeric (byte)
  label: LAB0

  range: [1,2]                                units: 1
unique values: 2                                missing .: 0/999

  tabulation: Freq.   Numeric   Label
                266          1   yes
                733          2   no
-----
militaryact                            active us military
-----

  type: numeric (byte)
  label: LABAM

  range: [1,1]                                units: 1
unique values: 1                                missing .: 994/999

  tabulation: Freq.   Numeric   Label
                5           1   yes
                994          .
-----
militaryfam                            family members in us military
-----

  type: numeric (byte)
  label: LABAM

  range: [1,1]                                units: 1
unique values: 1                                missing .: 859/999

  tabulation: Freq.   Numeric   Label
                140          1   yes
                859          .
-----
militarynotact                        not active previously served in us military
-----

```

```

    type: numeric (byte)
    label: LABAM

    range: [1,1]          units: 1
    unique values: 1      missing .: 837/999

    tabulation: Freq.   Numeric   Label
                162      1   yes
                837      .

-----
militaryfamnot          members of family not active prev served us military
-----

    type: numeric (byte)
    label: LABAM

    range: [1,1]          units: 1
    unique values: 1      missing .: 435/999

    tabulation: Freq.   Numeric   Label
                564      1   yes
                435      .

-----
militarynobody          nobody served us military
-----

    type: numeric (byte)
    label: LABAM

    range: [1,1]          units: 1
    unique values: 1      missing .: 730/999

    tabulation: Freq.   Numeric   Label
                269      1   yes
                730      .

-----
immstatus              immigration status
-----

    type: numeric (byte)
    label: immstatus

    range: [1,5]          units: 1
    unique values: 5      missing .: 5/999

    tabulation: Freq.   Numeric   Label
                29      1   immigrant citizen
                3       2   immigrant non-citizen
                89      3   first generation
                250     4   second generation
                623     5   third generation
                5       .

-----
inputstate             state of residence
-----

    type: numeric (byte)
    label: inputstate

    range: [4,55]         units: 1
    unique values: 40      missing .: 0/999

    examples: 12   florida
              24   maryland
              36   new york
              47   tennessee

-----
starttime              survey start time
-----

    type: string (str24)

    unique values: 995      missing "": 0/999

    examples: "Sat Oct 28 17:32:53 2006"
              "Thu Nov 2 06:35:29 2006"
              "Tue Oct 24 17:50:16 2006"
              "Wed Nov 1 13:25:51 2006"

    warning: variable has embedded blanks

-----
endtime                survey end time
-----

    type: string (str24)

```

```

unique values: 998                missing "": 0/999

examples: "Sat Oct 28 16:37:44 2006"
          "Thu Nov 2 06:30:06 2006"
          "Thu Nov 2 12:20:45 2006"
          "Wed Nov 1 13:20:14 2006"

warning: variable has embedded blanks
-----
endcommontime                      common survey end time
-----

type: string (str24)

unique values: 997                missing "": 0/999

examples: "Sat Oct 28 17:53:37 2006"
          "Thu Nov 2 07:12:59 2006"
          "Tue Oct 24 17:58:07 2006"
          "Wed Nov 1 13:40:50 2006"

warning: variable has embedded blanks
-----
stateabb                          state of residence
-----

type: string (str2)

unique values: 40                missing "": 0/999

examples: "FL"
          "MD"
          "NV"
          "TN"
-----
cd                                congressional district
-----

type: numeric (byte)

range: [1,50]                    units: 1
unique values: 30                missing .: 0/999

mean: 8.07107
std. dev: 8.32686

percentiles:    10%    25%    50%    75%    90%
                1      3      5      11     19
-----
repcand1                          representative candidate 1
-----

type: string (str38)

unique values: 149                missing "": 0/999

examples: "Charlie Thompson"
          "Emanuel Cleaver"
          "John Cranley"
          "Paul Hodes"

warning: variable has embedded blanks
-----
repcand1pidx                      representative candidate 1 - partyid
-----

type: numeric (byte)
label: LABBA

range: [1,2]                    units: 1
unique values: 2                missing .: 0/999

tabulation: Freq.  Numeric  Label
            969      1      democrat
            30       2      republican
-----
repcand1gend                      representative candidate 1 - gender
-----

type: string (str3)

unique values: 2                missing "": 0/999

tabulation: Freq.  Value
            748    "he"
            251    "she"

```

repcand2 representative candidate 2

type: string (str26)
unique values: 132 missing "": 0/999
examples: "Deborah Pryce"
"John B. Shadegg"
"Michele Bachmann"
"Sue W. Kelly"
warning: variable has embedded blanks

repcand2pidx representative candidate 2 - partyid

type: numeric (byte)
label: LABBA
range: [2,2] units: 1
unique values: 1 missing .: 114/999
tabulation: Freq. Numeric Label
885 2 republican
114 .

repcand2gend representative candidate 2 - gender

type: string (str3)
unique values: 3 missing "": 0/999
tabulation: Freq. Value
114 "__N"
755 "he"
130 "she"

sencand1 senator candidate 1

type: string (str22)
unique values: 26 missing "": 0/999
examples: "Bob Casey"
"Harold Ford"
"Jim Webb"
"__NA__"
warning: variable has embedded blanks

sencand1pidx senator candidate 1 - partyid

type: numeric (byte)
label: LABBA
range: [1,1] units: 1
unique values: 1 missing .: 257/999
tabulation: Freq. Numeric Label
742 1 democrat
257 .

sencand1gend senator candidate 1 - gender

type: string (str3)
unique values: 3 missing "": 0/999
tabulation: Freq. Value
257 "__N"
403 "he"
339 "she"

sencand2 senator candidate 2

type: string (str23)
unique values: 27 missing "": 0/999
examples: "Jon Kyl"

"Lincoln Chafee"
"Richard "Dick" Mountjoy"
"__NA__"

warning: variable has embedded blanks

sencand2pidx senator candidate 2 - partyid

type: numeric (byte)
label: LABBA

range: [2,3] units: 1
unique values: 2 missing .: 217/999

tabulation: Freq. Numeric Label
762 2 republican
20 3 independent
217 .

sencand2gend senator candidate 2 - gender

type: string (str3)

unique values: 3 missing "": 0/999

tabulation: Freq. Value
217 "__N"
628 "he"
154 "she"

govcand1 governor candidate 1

type: string (str24)

unique values: 31 missing "": 0/999

examples: "Edward Rendell"
"Jim Davis"
"Phil Bredesen"
"__NA__"

warning: variable has embedded blanks

govcand1pidx governor candidate 1 - partyid

type: numeric (byte)
label: LABBA

range: [1,1] units: 1
unique values: 1 missing .: 221/999

tabulation: Freq. Numeric Label
778 1 democrat
221 .

govcand1gend governor candidate 1 - gender

type: string (str3)

unique values: 3 missing "": 0/999

tabulation: Freq. Value
221 "__N"
697 "he"
81 "she"

govcand2 governor candidate 2

type: string (str27)

unique values: 31 missing "": 0/999

examples: "Clement Leroy "Butch" Otter"
"John Faso"
"Mark Green"
"__NA__"

warning: variable has embedded blanks

govcand2pidx governor candidate 2 - partyid

```

-----
      type: numeric (byte)
      label: LABBA

      range: [2,2]          units: 1
      unique values: 1      missing .: 221/999

      tabulation: Freq.  Numeric  Label
                   778      2    republican
                   221      .
-----

govcand2gend                                governor candidate 2 - gender
-----

      type: string (str3)

      unique values: 3      missing "": 0/999

      tabulation: Freq.  Value
                   221    "__N"
                   723    "he"
                   55     "she"
-----

rep                                           representative
-----

      type: string (str25)

      unique values: 148    missing "": 0/999

      examples: "Dave Weldon"
                 "Jesse L. Jackson"
                 "Marilyn N. Musgrave"
                 "Ron Paul"

      warning: variable has embedded blanks
-----

reppid                                       representative - partyid
-----

      type: numeric (byte)
      label: LABBC

      range: [1,3]          units: 1
      unique values: 3      missing .: 0/999

      tabulation: Freq.  Numeric  Label
                   368      1    democrat
                   619      2    republican
                   12       3    independent
-----

sen1                                         senator 1
-----

      type: string (str20)

      unique values: 40     missing "": 0/999

      examples: "Charles E. Schumer"
                 "Elizabeth Dole"
                 "Kay Bailey Hutchison"
                 "Paul S. Sarbanes"

      warning: variable has embedded blanks
-----

sen1pid                                     senator 1 - partyid
-----

      type: numeric (byte)
      label: LABBC

      range: [1,2]          units: 1
      unique values: 2      missing .: 0/999

      tabulation: Freq.  Numeric  Label
                   485      1    democrat
                   514      2    republican
-----

sen2                                         senator 2
-----

      type: string (str23)

      unique values: 40     missing "": 0/999

      examples: "George Allen"

```


"Jim Bunning"
"Joseph I. Lieberman"
"Norm Coleman"

warning: variable has embedded blanks

sen2pid senator 2 - partyid

type: numeric (byte)
label: LABBC

range: [1,2] units: 1
unique values: 2 missing.: 0/999

tabulation: Freq. Numeric Label
433 1 democrat
566 2 republican

gov governor

type: string (str21)

unique values: 40 missing "": 0/999

examples: "Dave Heineman"
"Jeb Bush"
"Kenny Guinn"
"Rick Perry"

warning: variable has embedded blanks

govpid governor - partyid

type: numeric (byte)
label: LABBC

range: [1,2] units: 1
unique values: 2 missing.: 0/999

tabulation: Freq. Numeric Label
368 1 democrat
631 2 republican

sen1gend senator 1 - gender

type: string (str3)

unique values: 2 missing "": 0/999

tabulation: Freq. Value
759 "he"
240 "she"

sen2gend senator 2 - gender

type: string (str3)

unique values: 2 missing "": 0/999

tabulation: Freq. Value
781 "he"
218 "she"

repgend representative - gender

type: string (str3)

unique values: 2 missing "": 0/999

tabulation: Freq. Value
844 "he"
155 "she"

govgend governor - gender

type: string (str3)

unique values: 2 missing "": 0/999

```

tabulation: Freq. Value
            889  "he"
            110  "she"

```

```

-----
statename                                     name of state
-----

```

```

    type: string (str14)

unique values: 40                               missing "": 0/999

examples: "Florida"
          "Maryland"
          "New York"
          "Tennessee"

warning: variable has embedded blanks

```

```

-----
statecap                                     state capitol
-----

```

```

    type: string (str14)

unique values: 40                               missing "": 0/999

examples: "Boston"
          "Harrisburg"
          "Nashville"
          "Sacramento"

warning: variable has embedded blanks

```

```

-----
punity                                       party unity
-----

```

```

    type: numeric (byte)
    label: LABAW, but 31 nonmissing values are not labeled

    range: [67,100]                               units: 1
unique values: 31                               missing .: 0/999

examples: 87
          92
          95
          97

```

```

-----
sen1rollpartial                             senator1 - partial birth abortion vote
-----

```

```

    type: numeric (byte)
    label: LABBD

    range: [1,4]                                   units: 1
unique values: 3                               missing .: 0/999

tabulation: Freq.  Numeric  Label
            538      1      support
            439      2      oppose
            22       4      not in congress

```

```

-----
sen2rollpartial                             senator2 - partial birth abortion vote
-----

```

```

    type: numeric (byte)
    label: LABBD

    range: [1,4]                                   units: 1
unique values: 4                               missing .: 0/999

tabulation: Freq.  Numeric  Label
            501      1      support
            324      2      oppose
            12       3      did not vote
            162      4      not in congress

```

```

-----
sen1rollstem                               senator1 - stem cell research vote
-----

```

```

    type: numeric (byte)
    label: LABBD

    range: [1,2]                                   units: 1
unique values: 2                               missing .: 0/999

tabulation: Freq.  Numeric  Label
            762      1      support
            237      2      oppose

```

sen2rollstem senator2 - stem cell research vote

type: numeric (byte)
label: LABBD

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
531 1 support
468 2 oppose

sen1rolllevin senator1 - levin amend vote

type: numeric (byte)
label: LABBD

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
389 1 support
610 2 oppose

sen2rolllevin senator2 - levin amend vote

type: numeric (byte)
label: LABBD

range: [1,3] units: 1
unique values: 3 missing .: 0/999

tabulation: Freq. Numeric Label
393 1 support
599 2 oppose
7 3 did not vote

sen1rollimm senator1 - immigration vote

type: numeric (byte)
label: LABBD

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation: Freq. Numeric Label
773 1 support
226 2 oppose

sen2rollimm senator2 - immigration vote

type: numeric (byte)
label: LABBD

range: [1,3] units: 1
unique values: 3 missing .: 0/999

tabulation: Freq. Numeric Label
563 1 support
396 2 oppose
40 3 did not vote

sen1rollminw senator1 - minimum wage vote

type: numeric (byte)
label: LABBD

range: [1,4] units: 1
unique values: 3 missing .: 0/999

tabulation: Freq. Numeric Label
560 1 support
428 2 oppose
11 4 not in congress

sen2rollminw senator2 - minimum wage vote

type: numeric (byte)

```

label: LABBD
range: [1,2]          units: 1
unique values: 2      missing .: 0/999

tabulation: Freq.  Numeric  Label
            488      1      support
            511      2      oppose
-----
sen1rollcappgain          senator1 - capital gains tax vote
-----

type: numeric (byte)
label: LABBD
range: [1,3]          units: 1
unique values: 3      missing .: 0/999

tabulation: Freq.  Numeric  Label
            519      1      support
            429      2      oppose
            51       3      did not vote
-----
sen2rollcappgain          senator2 - capital gains tax vote
-----

type: numeric (byte)
label: LABBD
range: [1,3]          units: 1
unique values: 3      missing .: 0/999

tabulation: Freq.  Numeric  Label
            544      1      support
            448      2      oppose
            7        3      did not vote
-----
sen1rollcafta            senator1 - cafta vote
-----

type: numeric (byte)
label: LABBD
range: [1,4]          units: 1
unique values: 3      missing .: 0/999

tabulation: Freq.  Numeric  Label
            652      1      support
            336      2      oppose
            11       4      not in congress
-----
sen2rollcafta            senator2 - cafta vote
-----

type: numeric (byte)
label: LABBD
range: [1,3]          units: 1
unique values: 3      missing .: 0/999

tabulation: Freq.  Numeric  Label
            596      1      support
            383      2      oppose
            20       3      did not vote
-----
sen1rollestata           senator1 - estate tax vote
-----

type: numeric (byte)
label: LABBD
range: [1,2]          units: 1
unique values: 2      missing .: 0/999

tabulation: Freq.  Numeric  Label
            578      1      support
            421      2      oppose
-----
sen2rollestata           senator2 - estate tax vote
-----

type: numeric (byte)
label: LABBD
range: [1,3]          units: 1
unique values: 3      missing .: 0/999

```

tabulation:	Freq.	Numeric	Label
	534	1	support
	445	2	oppose
	20	3	did not vote

sen1rollestateglo	senator1 - estate cloture vote
-------------------	--------------------------------

type: numeric (byte)
label: LABBD

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	421	1	support
	578	2	oppose

sen2rollestateglo	senator2 - estate cloture vote
-------------------	--------------------------------

type: numeric (byte)
label: LABBD

range: [1,3] units: 1
unique values: 3 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	445	1	support
	534	2	oppose
	20	3	did not vote

sen1rollaliticlo	senator1 - alito cloture vote
------------------	-------------------------------

type: numeric (byte)
label: LABBD

range: [1,3] units: 1
unique values: 3 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	355	1	support
	637	2	oppose
	7	3	did not vote

sen2rollaliticlo	senator2 - alito cloture vote
------------------	-------------------------------

type: numeric (byte)
label: LABBD

range: [1,3] units: 1
unique values: 3 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	301	1	support
	659	2	oppose
	39	3	did not vote

sen1rollalitoconf	senator1 - alito confirmation vote
-------------------	------------------------------------

type: numeric (byte)
label: LABBD

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	521	1	support
	478	2	oppose

sen2rollalitoconf	senator2 - alito confirmation vote
-------------------	------------------------------------

type: numeric (byte)
label: LABBD

range: [1,2] units: 1
unique values: 2 missing .: 0/999

tabulation:	Freq.	Numeric	Label
	569	1	support
	430	2	oppose

```

seselect ----- senator election -----
    type: string (str9)
    unique values: 3             missing "": 0/999
    tabulation: Freq. Value
                217 "No"
                40  "Unopposed"
                742 "Yes"
-----
govelect ----- governor election -----
    type: string (str3)
    unique values: 2             missing "": 0/999
    tabulation: Freq. Value
                221 "No"
                778 "Yes"
-----
govopen ----- open governor election -----
    type: string (str3)
    unique values: 3             missing "": 0/999
    tabulation: Freq. Value
                501 "No"
                277 "Yes"
                221 "_N"
-----
senopen ----- open senator election -----
    type: string (str3)
    unique values: 3             missing "": 0/999
    tabulation: Freq. Value
                217 "N/A"
                695 "No"
                87  "Yes"
-----
repopen ----- open representative election -----
    type: string (str3)
    unique values: 2             missing "": 0/999
    tabulation: Freq. Value
                816 "No"
                183 "Yes"
-----
repunopp ----- unopposed representative seat -----
    type: string (str3)
    unique values: 2             missing "": 0/999
    tabulation: Freq. Value
                885 "No"
                114 "Yes"
-----
postdisposition ----- post disposition -----
    type: numeric (byte)
    label: postdisposition
    range: [0,1]                units: 1
    unique values: 2             missing .: 118/999
    tabulation: Freq. Numeric Label
                82      0  incomplete
                799      1  complete
                118      .
-----
postq1 ----- most important problem -----

```

```

    type: string (str244)
unique values: 588           missing "": 153/999

examples: "Credibility of our elected officials."
          "Iraq"
          "The Government"
          "government abuse of power"

warning: variable has leading, embedded, and trailing blanks
-----
postq2                                     most interesting news stories this past week
-----

    type: string (str244)
unique values: 664           missing "": 234/999

examples: ""
          "Election results
Democratid party elections for
          Speaker"
          "Rumsfield resigning"
          "Viet Nam"

warning: variable has leading, embedded, and trailing blanks
-----
postq3                                     vote or not
-----

    type: numeric (byte)
    label: postq3
    range: [1,3]              units: 1
unique values: 3              missing .: 142/999

    tabulation: Freq.   Numeric   Label
                  816         1   yes
                  39         2   no
                   2         3   don't know
                  142         .

-----
postq4                                     how voted
-----

    type: numeric (byte)
    label: postq4
    range: [1,5]              units: 1
unique values: 5              missing .: 182/999

    tabulation: Freq.   Numeric   Label
                  553         1   in person on election day (at
                  99         2   polling booth or precinct)
                  162         3   in person before election day
                   1         4   voted by mail
                   2         5   don't know
                  182         .   i did not vote

-----
postq4b                                    asked to show picture identification
-----

    type: numeric (byte)
    label: LAB0
    range: [1,2]              units: 1
unique values: 2              missing .: 348/999

    tabulation: Freq.   Numeric   Label
                  310         1   yes
                  341         2   no
                  348         .

-----
postq4c                                    allowed to vote - picture id
-----

    type: numeric (byte)
    label: LAB0
    range: [1,2]              units: 1
unique values: 2              missing .: 692/999

    tabulation: Freq.   Numeric   Label
                  305         1   yes
                   2         2   no
                  692         .

```

postqueue length of wait to vote

type: numeric (byte)
label: postqueue

range: [1,5] units: 1
unique values: 5 missing .: 447/999

tabulation: Freq. Numeric Label
297 1 not at all
172 2 less than 10 minutes
70 3 10 to 30 minutes
7 4 31 minutes to an hour
6 5 more than an hour (please
specify how long):
447 .

postqueue_t text - length of wait to vote

type: string (str63)

unique values: 7 missing "": 665/999

tabulation: Freq. Value
665 ""
1 "1 hour 10 minutes"
1 "1 hr 15 min"
1 "1.5 hours"
1 "1hr 10min"
1 "I was less then 10 minutes, my son went
several hours later and"
1 "One hour 15 minutes"
328 "__NA__"

warning: variable has embedded blanks

postq5 problem with voter registration

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 194/999

tabulation: Freq. Numeric Label
30 1 yes
775 2 no
194 .

postq5b allowed to vote - registration

type: numeric (byte)
label: postq5b

range: [1,3] units: 1
unique values: 3 missing .: 969/999

tabulation: Freq. Numeric Label
22 1 i voted
7 2 i was allowed to voting using a
provisional ballot
1 3 no, i was not allowed to vote
969 .

postq6 vote choice governor

type: numeric (byte)
label: postq6

range: [1,7] units: 1
unique values: 7 missing .: 338/999

tabulation: Freq. Numeric Label
325 1 democrat
259 2 republican
19 3 i did not vote in this race
26 4 i did not vote
5 5 not sure
13 6 third party
14 7 fourth party
338 .

postq7 ----- vote choice senator -----

```

    type: numeric (byte)
    label: postq7

    range: [1,8]          units: 1
unique values: 7          missing .: 374/999

    tabulation: Freq.  Numeric  Label
                 323      1    democrat
                 241      2    republican
                  15      3    i did not vote in this race
                  27      4    i did not vote
                   6      5    not sure
                  10      6    lieberman
                   3      8    third party
                 374      .
```

postq8 ----- vote choice house of representatives -----

```

    type: numeric (byte)
    label: postq8

    range: [1,6]          units: 1
unique values: 6          missing .: 156/999

    tabulation: Freq.  Numeric  Label
                 422      1    democrat
                 303      2    republican
                   57      3    i did not vote in this race
                   35      4    i did not vote
                   22      5    not sure
                    4      6    third party
                 156      .
```

postq9_lg ----- voted - lieutenant governor -----

```

    type: numeric (byte)
    label: LABBE

    range: [1,5]          units: 1
unique values: 5          missing .: 505/999

    tabulation: Freq.  Numeric  Label
                 65      1    didn't vote for this office
                 216      2    democratic candidate
                 173      3    republican candidate
                   15      4    other party
                   25      5    don't recall
                 505      .
```

postq9_ag ----- voted - attorney general -----

```

    type: numeric (byte)
    label: LABBE

    range: [1,5]          units: 1
unique values: 5          missing .: 507/999

    tabulation: Freq.  Numeric  Label
                 37      1    didn't vote for this office
                 232      2    democratic candidate
                 178      3    republican candidate
                   14      4    other party
                   31      5    don't recall
                 507      .
```

postq9_ss ----- voted - secretary of state -----

```

    type: numeric (byte)
    label: LABBE

    range: [1,5]          units: 1
unique values: 5          missing .: 516/999

    tabulation: Freq.  Numeric  Label
                 66      1    didn't vote for this office
                 210      2    democratic candidate
                 158      3    republican candidate
                   13      4    other party
                   36      5    don't recall
                 516      .
```

postq9_st ----- voted - state treasurer

type: numeric (byte)
label: LABBE

range: [1,5] units: 1
unique values: 5 missing .: 515/999

tabulation: Freq. Numeric Label

54	1	didn't vote for this office
212	2	democratic candidate
168	3	republican candidate
12	4	other party
38	5	don't recall
515	.	

postq9_sr ----- voted - state representative

type: numeric (byte)
label: LABBE

range: [1,5] units: 1
unique values: 5 missing .: 387/999

tabulation: Freq. Numeric Label

22	1	didn't vote for this office
315	2	democratic candidate
229	3	republican candidate
12	4	other party
34	5	don't recall
387	.	

postq9_ssen ----- voted - state senator

type: numeric (byte)
label: LABBE

range: [1,5] units: 1
unique values: 5 missing .: 405/999

tabulation: Freq. Numeric Label

50	1	didn't vote for this office
285	2	democratic candidate
217	3	republican candidate
14	4	other party
28	5	don't recall
405	.	

postq10 ----- ideological self-placement

type: numeric (int)
label: LABAH, but 102 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 102 missing .: 194/999

examples: 35
50
75
100

postq10_dk ----- dk - ideological self-placement

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 142/999

tabulation: Freq. Numeric Label

28	1	yes
829	2	no
142	.	

postq11d ----- ideological placement of democrats

type: numeric (int)
label: LABAH, but 79 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 79 missing .: 197/999

examples: 11
27
42
93

postq11d_dk dk - ideological placement of democrats

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 142/999

tabulation: Freq. Numeric Label
29 1 yes
828 2 no
142 .

postq11r ideological placement of republicans

type: numeric (int)
label: LABAH, but 89 nonmissing values are not labeled

range: [1,227] units: 1
unique values: 89 missing .: 201/999

examples: 64
81
93
.

postq11r_dk dk - ideological placement of republicans

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 142/999

tabulation: Freq. Numeric Label
38 1 yes
819 2 no
142 .

postq12a ideological placement of house candidate 1

type: numeric (int)
label: LABAH, but 90 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 90 missing .: 343/999

examples: 19
40
59
.

postq12a_dk dk - ideological placement of house candidate 1

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 142/999

tabulation: Freq. Numeric Label
185 1 yes
672 2 no
142 .

postq12b ideological placement of house candidate 2

type: numeric (byte)
label: LABAH, but 70 nonmissing values are not labeled

range: [1,100] units: 1
unique values: 70 missing .: 442/999

examples: 75
92
.

postq12b_dk dk - ideological placement of house candidate 2

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 242/999

tabulation: Freq. Numeric Label
183 1 yes
574 2 no
242 .

postq13a ideological placement of senate candidate 1

type: numeric (int)
label: LABAH, but 83 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 83 missing .: 446/999

examples: 22
46
.
.

postq13a_dk dk - ideological placement of senate candidate 1

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 364/999

tabulation: Freq. Numeric Label
61 1 yes
574 2 no
364 .

postq13b ideological placement of senate candidate 2

type: numeric (int)
label: LABAH, but 70 nonmissing values are not labeled

range: [4,227] units: 1
unique values: 70 missing .: 522/999

examples: 77
98
.
.

postq13b_dk dk - ideological placement of senate candidate 2

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 364/999

tabulation: Freq. Numeric Label
139 1 yes
496 2 no
364 .

postq13c ideological placement of senator not running

type: numeric (int)
label: LABAH, but 104 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 104 missing .: 274/999

examples: 29
55
87
.

postq13c_dk dk - ideological placement of senator not running

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 142/999

tabulation:

Freq.	Numeric	Label
104	1	yes
753	2	no
142	.	

postq13d ideological placement of retiring senator

type: numeric (byte)
label: LABAH, but 38 nonmissing values are not labeled

range: [0,100] units: 1
unique values: 38 missing .: 952/999

examples: .
.
.
.

postq13d_dk dk - ideological placement of retiring senator

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 942/999

tabulation:

Freq.	Numeric	Label
8	1	yes
49	2	no
942	.	

postq14a ideological placement of gov cand 1

type: numeric (int)
label: LABAH, but 80 nonmissing values are not labeled

range: [0,227] units: 1
unique values: 80 missing .: 411/999

examples: 22
43
.
.

postq14a_dk dk - ideological placement of gov cand 1

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 332/999

tabulation:

Freq.	Numeric	Label
58	1	yes
609	2	no
332	.	

postq14b ideological placement of gov cand 2

type: numeric (int)
label: LABAH, but 81 nonmissing values are not labeled

range: [1,187] units: 1
unique values: 81 missing .: 440/999

examples: 68
88
.
.

postq14b_dk dk - ideological placement of gov cand 2


```

-----
      type: numeric (byte)
      label: LABBF

      range: [1,6]                units: 1
      unique values: 6            missing .: 158/999

      tabulation: Freq.  Numeric  Label
                   333      1  much too liberal
                   149      2  slightly too liberal
                   205      3  about right
                   104      4  slightly too conservative
                    21      5  much too conservative
                    29      6  not sure
                   158      .

-----
postqreppos                                think the republican party is...
-----

      type: numeric (byte)
      label: LABBF

      range: [1,6]                units: 1
      unique values: 6            missing .: 159/999

      tabulation: Freq.  Numeric  Label
                   28      1  much too liberal
                   148      2  slightly too liberal
                    91      3  about right
                   108      4  slightly too conservative
                   417      5  much too conservative
                    48      6  not sure
                   159      .

-----
postneedthree                             two parties represent americans or need third party
-----

      type: numeric (byte)
      label: postneedthree

      range: [1,3]                units: 1
      unique values: 3            missing .: 158/999

      tabulation: Freq.  Numeric  Label
                   139      1  republican and democratic
                                parties do an adequate job
                    570      2  third major party is needed
                    132      3  not sure
                    158      .

-----
postq16                                  prefer to raise taxes or cut spending
-----

      type: numeric (int)
      label: LABAH, but 100 nonmissing values are not labeled

      range: [0,192]              units: 1
      unique values: 100          missing .: 198/999

      examples: 45
                53
                81
                100

-----
postq16_dk                               dk - prefer to raise taxes or cut spending
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]                units: 1
      unique values: 2            missing .: 157/999

      tabulation: Freq.  Numeric  Label
                   31      1  yes
                   811      2  no
                   157      .

-----
postq17                                  prefer to increase income tax or sales tax
-----

      type: numeric (int)
      label: LABAH, but 100 nonmissing values are not labeled

      range: [0,201]              units: 1
      unique values: 100          missing .: 234/999

```

examples: 10
37
52
.

postq17_dk dk - prefer to increase income tax or sales tax

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 157/999

tabulation: Freq. Numeric Label
73 1 yes
769 2 no
157 .

postq18a prefer congress cut, raise, or borrow

type: numeric (byte)
label: postq18a

range: [1,4] units: 1
unique values: 4 missing .: 169/999

tabulation: Freq. Numeric Label
256 1 cutting defense spending
386 2 cutting domestic spending
161 3 raising taxes
27 4 borrowing
169 .

postq18b what congress should do to balance the budget

type: numeric (byte)
label: LABBG

range: [1,4] units: 1
unique values: 4 missing .: 186/999

tabulation: Freq. Numeric Label
164 1 cut defense spending
166 2 cut domestic spending
304 3 raise taxes
179 4 borrow
186 .

postq18c what least want congress to do

type: numeric (byte)
label: LABBG

range: [1,4] units: 1
unique values: 4 missing .: 193/999

tabulation: Freq. Numeric Label
216 1 cut defense spending
96 2 cut domestic spending
155 3 raise taxes
339 4 borrow
193 .

postq19 ever called for jury duty

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 164/999

tabulation: Freq. Numeric Label
614 1 yes
221 2 no
164 .

postq19a serve on jury or excused

type: numeric (byte)
label: postq19a

range: [1,2] units: 1
unique values: 2 missing .: 392/999

tabulation:	Freq.	Numeric	Label
	236	1	i served
	371	2	i did not have to serve
	392	.	

postq19b when called for jury duty

type: numeric (byte)
label: postq19b

range: [1,2] units: 1
unique values: 2 missing .: 388/999

tabulation:	Freq.	Numeric	Label
	128	1	in the past year
	483	2	earlier
	388	.	

postqorg_aaa member - aaa

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	216	1	yes
	612	2	no
	171	.	

postqorg_aarp member - aarp

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	155	1	yes
	673	2	no
	171	.	

postqorg_nra member - nra

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	81	1	yes
	747	2	no
	171	.	

postqorg_lwv member - league of women voters

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	11	1	yes
	817	2	no
	171	.	

postqorg_pta member - pta or parent teacher org

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	51	1	yes
	777	2	no
	171	.	

postqorg_vfw member - veterans of foreign wars

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	41	1	yes
	787	2	no
	171	.	

postqorg_al member - american legion

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	39	1	yes
	789	2	no
	171	.	

postqorg_sc member - sierra club

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	32	1	yes
	796	2	no
	171	.	

postqorg_naral member - naral

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	21	1	yes
	807	2	no
	171	.	

postqorg_nrl member - national right to life

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	17	1	yes
	811	2	no
	171	.	

postqorg_cca member - christian coalition of america

type: numeric (byte)
label: LABBH

range: [1,2] units: 1
unique values: 2 missing .: 171/999

tabulation:	Freq.	Numeric	Label
	8	1	yes
	820	2	no

postqorg_none member - none of the above

```

      type: numeric (byte)
      label: LABBH

      range: [1,2]          units: 1
unique values: 2          missing .: 171/999

      tabulation: Freq.   Numeric   Label
                  412       1   yes
                  416       2   no
                  171       .

```

postq20 donate money to candidates or parties

```

      type: numeric (byte)
      label: LABO

      range: [1,2]          units: 1
unique values: 2          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  280       1   yes
                  557       2   no
                  162       .

```

postq20a amount donated

```

      type: string (str14)

unique values: 77          missing "": 159/999

      examples: "100"
                "N/A"
                "___NA___"
                "___NA___"

      warning: variable has embedded blanks

```

postq21 persuade someone else to vote or how to vote

```

      type: numeric (byte)
      label: LABO

      range: [1,2]          units: 1
unique values: 2          missing .: 164/999

      tabulation: Freq.   Numeric   Label
                  551       1   yes
                  284       2   no
                  164       .

```

postq23 party with most seats in house of representatives

```

      type: numeric (byte)
      label: postq23

      range: [1,3]          units: 1
unique values: 3          missing .: 162/999

      tabulation: Freq.   Numeric   Label
                  810       1   the democrats
                   11       2   the republicans
                   16       3   not sure
                  162       .

```

postqva who will win senate for state

```

      type: numeric (byte)
      label: postqva

      range: [.,.]          units: .
unique values: 0          missing .: 999/999

      tabulation: Freq.   Numeric   Label
                  999       .

```

postqva2 confidence that candidate will win for senate

```

-----
      type: numeric (byte)
      label: LABBI

      range: [,.]
      unique values: 0
      units: .
      missing .: 999/999

      tabulation: Freq.  Numeric  Label
                   999      .

-----
postq24                                     party with most seats in senate
-----

      type: numeric (byte)
      label: postq24

      range: [1,4]
      unique values: 4
      units: 1
      missing .: 179/999

      tabulation: Freq.  Numeric  Label
                   757      1  the democrats
                   10      2  the republicans
                   27      3  there will be 50 democrats and
                        50 republicans
                   26      4  not sure
                   179      .

-----
postq24a                                   who will control the senate after virginia decided
-----

      type: numeric (byte)
      label: postq24a

      range: [1,1]
      unique values: 1
      units: 1
      missing .: 982/999

      tabulation: Freq.  Numeric  Label
                   17      1  the democrats
                   982      .

-----
postq24b                                   how confident in that
-----

      type: numeric (byte)
      label: LABBI

      range: [1,3]
      unique values: 3
      units: 1
      missing .: 982/999

      tabulation: Freq.  Numeric  Label
                   13      1  very confident
                   2      2  somewhat confident
                   2      3  not very confident
                   982      .

-----
natsat                                     national satisfaction
-----

      type: numeric (byte)
      label: natsat

      range: [1,3]
      unique values: 3
      units: 1
      missing .: 444/999

      tabulation: Freq.  Numeric  Label
                   118      1  satisfied
                   404      2  dissatisfied
                   33      3  not sure
                   444      .

-----
profile_gwbapp                             george bush approval
-----

      type: numeric (byte)
      label: profile_gwbapp

      range: [1,4]
      unique values: 4
      units: 1
      missing .: 443/999

      tabulation: Freq.  Numeric  Label
                   94      1  strongly approve
                   101     2  somewhat approve
                   53      3  somewhat disapprove
                   308     4  strongly disapprove
                   443      .
-----

```

profile_neigh_active neighborhood political activity

type: numeric (byte)
label: LABAL, but 7 nonmissing values are not labeled

range: [1,7] units: 1
unique values: 7 missing .: 444/999

tabulation:	Freq.	Numeric	Label
	60	1	
	128	2	
	114	3	
	124	4	
	74	5	
	43	6	
	12	7	
	444	.	

profile_neigh_party neighborhood party id

type: numeric (byte)
label: LABAL, but 7 nonmissing values are not labeled

range: [1,7] units: 1
unique values: 7 missing .: 446/999

tabulation:	Freq.	Numeric	Label
	38	1	
	68	2	
	71	3	
	186	4	
	82	5	
	72	6	
	36	7	
	446	.	

profile_cty_party county party id

type: numeric (byte)
label: LABAL, but 7 nonmissing values are not labeled

range: [1,7] units: 1
unique values: 7 missing .: 444/999

tabulation:	Freq.	Numeric	Label
	53	1	
	69	2	
	78	3	
	144	4	
	84	5	
	86	6	
	41	7	
	444	.	

cong06 2006 congressional elections

type: numeric (byte)
label: cong06

range: [1,7] units: 1
unique values: 7 missing .: 445/999

tabulation:	Freq.	Numeric	Label
	233	1	definitely democratic
	65	2	probably democratic
	63	3	probably republican
	141	4	definitely republican
	29	5	don't know
	20	6	different party
	3	7	no vote
	445	.	

congoutcome desired party control u.s. congress after congressional elections

type: numeric (byte)
label: congoutcome

range: [1,4] units: 1
unique values: 4 missing .: 445/999

tabulation:	Freq.	Numeric	Label
	208	1	republicans
	298	2	democrats
	32	3	other

16 4 not sure
445 .

glowarm role of global warming in decision to vote

type: numeric (byte)
label: glowarm

range: [1,4] units: 1
unique values: 4 missing .: 449/999

tabulation: Freq. Numeric Label
36 1 yes
56 2 no
225 3 important
233 4 not important
449 .

glocli opnion on global warming

type: numeric (byte)
label: glocli

range: [1,4] units: 1
unique values: 4 missing .: 445/999

tabulation: Freq. Numeric Label
210 1 immediate action
151 2 some action
122 3 more research
71 4 concern unwarranted
445 .

isfollow level following news about israel and lebanon

type: numeric (byte)
label: isfollow

range: [1,4] units: 1
unique values: 4 missing .: 445/999

tabulation: Freq. Numeric Label
252 1 very closely
251 2 somewhat closely
48 3 not too closely
3 4 not at all
445 .

isview view of israel's current military action in lebanon

type: numeric (byte)
label: isview

range: [1,3] units: 1
unique values: 3 missing .: 965/999

tabulation: Freq. Numeric Label
23 1 israel justified
8 2 israel somewhat justified
3 3 israel not justified
965 .

isusrole opinion on level of us involvement in israeli conflict

type: numeric (byte)
label: isusrole

range: [1,3] units: 1
unique values: 3 missing .: 965/999

tabulation: Freq. Numeric Label
3 1 too much
20 2 about the right amount
11 3 not enough
965 .

usmilaid opinion on level of us military aid to israel

type: numeric (byte)
label: usmilaid

```

        range: [1,4]                units: 1
unique values: 4                missing .: 484/999

    tabulation: Freq.  Numeric  Label
                92       1    increased
                229       2    kept the same
                115       3    decreased
                 79       4    stopped
                484       .

-----
iraqback                                us in iraq - right or mistake
-----

    type: numeric (byte)
    label: iraqback

        range: [1,2]                units: 1
unique values: 2                missing .: 446/999

    tabulation: Freq.  Numeric  Label
                216       1    did the right thing
                337       2    should have stayed out
                446       .

-----
iraqoutcome                            likely outcome in iraq
-----

    type: numeric (byte)
    label: iraqoutcome

        range: [1,3]                units: 1
unique values: 3                missing .: 447/999

    tabulation: Freq.  Numeric  Label
                20       1    stable within 2 years
                206       2    stable after 2 years
                326       3    never stable
                447       .

-----
isiraqhelphurt                        effect of conflict between israel and hezbollah on iraq
-----

    type: numeric (byte)
    label: isiraqhelphurt

        range: [1,4]                units: 1
unique values: 4                missing .: 481/999

    tabulation: Freq.  Numeric  Label
                18       1    help in iraq
                241       2    hurt in iraq
                205       3    no difference
                 54       4    don't know
                481       .

-----
riceability                           confidence riceis ability to handle middle east
-----

    type: numeric (byte)
    label: riceability

        range: [1,4]                units: 1
unique values: 4                missing .: 480/999

    tabulation: Freq.  Numeric  Label
                110       1    very confident
                105       2    somewhat confident
                116       3    not too confident
                188       4    not confident at all
                480       .

-----
immig                                most important item of immigration reform
-----

    type: numeric (byte)
    label: immig

        range: [1,3]                units: 1
unique values: 3                missing .: 448/999

    tabulation: Freq.  Numeric  Label
                352       1    house
                162       2    senate
                 37       3    don't know
                448       .

-----
fedstem                              federal funding for embryonic stem cell research

```

```

-----
      type: numeric (byte)
      label: fedstem

      range: [1,3]          units: 1
unique values: 3          missing .: 448/999

      tabulation: Freq.   Numeric   Label
                  359       1       favor
                  147       2       oppose
                  45        3       don't know
                  448       .
-----

```

gaymar constitutional amendment banning gay marriage

```

-----
      type: numeric (byte)
      label: gaymar

      range: [1,5]          units: 1
unique values: 5          missing .: 447/999

      tabulation: Freq.   Numeric   Label
                  182       1       strongly support
                  43        2       somewhat support
                  46        3       somewhat oppose
                  265       4       strongly oppose
                  16        5       don't know
                  447       .
-----

```

knowgay personally know anybody who is gay

```

-----
      type: numeric (byte)
      label: knowgay

      range: [1,3]          units: 1
unique values: 3          missing .: 455/999

      tabulation: Freq.   Numeric   Label
                  501       1       yes
                  24        2       no
                  19        3       don't know
                  455       .
-----

```

profile_closegay closest relationship with someone who is gay

```

-----
      type: numeric (byte)
      label: LABAA, but 1 nonmissing value is not labeled

      range: [0,5]          units: 1
unique values: 6          missing .: 472/999

      tabulation: Freq.   Numeric   Label
                  26        0
                  26        1       myself
                  108       2       member of my family
                  125       3       close friend
                  79        4       co-worker
                  163       5       acquaintance
                  472       .
-----

```

net_home level of access of internet at home

```

-----
      type: numeric (byte)
      label: LABBJ

      range: [1,3]          units: 1
unique values: 3          missing .: 453/999

      tabulation: Freq.   Numeric   Label
                  433       1       cable
                  103       2       dial-up
                  10        3       none
                  453       .
-----

```

net_work level of access of internet at the office or school

```

-----
      type: numeric (byte)
      label: LABBJ

      range: [1,3]          units: 1
unique values: 3          missing .: 574/999
-----

```



```

      tabulation: Freq.  Numeric  Label
                  294      1  cable
                  10      2  dial-up
                  121      3  none
                  574      .

-----
use_home                                     frequency use the internet at home
-----

      type: numeric (byte)
      label: LABBK

      range: [1,6]                      units: 1
unique values: 6                      missing .: 452/999

      tabulation: Freq.  Numeric  Label
                  319      1  1 hour
                  82      2  daily
                  21      3  weekly
                   7      4  occasionally
                  10      5  never
                  108      6  5+
                  452      .

-----
use_work                                     frequency use the internet at the office or school
-----

      type: numeric (byte)
      label: LABBK

      range: [1,6]                      units: 1
unique values: 6                      missing .: 590/999

      tabulation: Freq.  Numeric  Label
                  122      1  1 hour
                   48      2  daily
                   15      3  weekly
                   13      4  occasionally
                  117      5  never
                   94      6  5+
                   590      .

-----
blog                                         read blogs
-----

      type: numeric (byte)
      label: blog

      range: [1,2]                      units: 1
unique values: 2                      missing .: 451/999

      tabulation: Freq.  Numeric  Label
                  182      1  yes (which ones):
                  366      2  no
                  451      .

-----
blog_t                                     text - read blogs
-----

      type: string (str64)

unique values: 150                      missing "": 829/999

examples: ""
          ""
          ""
          ""

warning: variable has embedded blanks

-----
profile_tv                                 tv in the household
-----

      type: numeric (byte)
      label: LABAM

      range: [1,2]                      units: 1
unique values: 2                      missing .: 446/999

      tabulation: Freq.  Numeric  Label
                  549      1  yes
                   4      2  no
                  446      .

-----
profile_cable                             cable tv
-----

```

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 446/999

tabulation:	Freq.	Numeric	Label
	345	1	yes
	208	2	no
	446	.	

profile_satellite satellite tv

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 445/999

tabulation:	Freq.	Numeric	Label
	183	1	yes
	371	2	no
	445	.	

fair network provides fairest coverage of national news

type: numeric (byte)
label: LABBL
range: [1,8] units: 1
unique values: 8 missing .: 449/999

tabulation:	Freq.	Numeric	Label
	19	1	abc
	6	2	cbs
	25	3	nbc
	81	4	cnn
	48	5	msnbc
	197	6	fox news
	105	7	pbs
	69	8	don't know
	449	.	

biased network provides most biased national news

type: numeric (byte)
label: LABBL
range: [1,8] units: 1
unique values: 8 missing .: 447/999

tabulation:	Freq.	Numeric	Label
	23	1	abc
	63	2	cbs
	15	3	nbc
	83	4	cnn
	19	5	msnbc
	281	6	fox news
	11	7	pbs
	57	8	don't know
	447	.	

profile_freqnews_nat freq watch last week - national evening news

type: numeric (byte)
label: LABAO
range: [1,4] units: 1
unique values: 4 missing .: 501/999

tabulation:	Freq.	Numeric	Label
	143	1	not at all
	101	2	once or twice
	90	3	a few times
	164	4	almost every day
	501	.	

profile_freqnews_early freq watch last week - early local news

type: numeric (byte)
label: LABAO
range: [1,4] units: 1

```

unique values: 4          missing .: 517/999

  tabulation: Freq.  Numeric  Label
               160       1  not at all
               109       2  once or twice
                88       3  a few times
               125       4  almost every day
               517       .

-----
profile_freqnews_late          freq watch last week - late local news
-----

      type: numeric (byte)
      label: LABAO

      range: [1,4]          units: 1
unique values: 4          missing .: 526/999

  tabulation: Freq.  Numeric  Label
               201       1  not at all
               120       2  once or twice
                63       3  a few times
                89       4  almost every day
               526       .

-----
profile_mostfreq              network watched most frequently natl evening news
-----

      type: numeric (byte)
      label: LABAP

      range: [1,8]          units: 1
unique values: 8          missing .: 644/999

  tabulation: Freq.  Numeric  Label
               44       1  abc world news with charles
               32       2  cbs evening news with katie
               43       3  cnn
               102       4  fox news
               32       5  pbs the newshour with jim lehrer
               70       6  nbc nightly news with brian
               27       7  msnbc
                5       8  other, please specify
               644       .

-----
profile_earlyloc              channel watched most frequently for early local news
-----

      type: string (str12)

unique values: 70          missing "": 485/999

examples: ""
          ""
          "22"
          "___NA__"

warning: variable has embedded blanks

-----
profile_earlyloc_d            dk - channel watched most frequently for early local news
-----

      type: numeric (byte)
      label: LAB0

      range: [1,2]          units: 1
unique values: 2          missing .: 653/999

  tabulation: Freq.  Numeric  Label
               43       1  yes
               303       2  no
               653       .

-----
profile_lateloc              channel watched most frequently for late local news
-----

      type: string (str13)

unique values: 62          missing "": 491/999

examples: ""
          ""
          "209"
          "___NA__"

```

warning: variable has embedded blanks

profile_lateloc_d dk - channel watched most frequently for late local news

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 693/999

tabulation: Freq. Numeric Label
40 1 yes
266 2 no
693 .

profile_anchname name of the anchor

type: string (str212)

unique values: 265 missing "": 584/999

examples: ""
""
"Bill O'Reilly, Neil ?,"
"Steve Dunn"

warning: variable has leading and embedded blanks

profile_tvprog_mag freq watch - news magazine

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 458/999

tabulation: Freq. Numeric Label
195 1 not at all
226 2 once or twice
100 3 a few times
20 4 almost every day
458 .

profile_tvprog_sport freq watch - sports news

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 470/999

tabulation: Freq. Numeric Label
301 1 not at all
117 2 once or twice
61 3 a few times
50 4 almost every day
470 .

profile_tvprog_dave freq watch - late night tv shows

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 468/999

tabulation: Freq. Numeric Label
288 1 not at all
144 2 once or twice
59 3 a few times
40 4 almost every day
468 .

profile_tvprog_et freq watch - entertainment shows

type: numeric (byte)
label: LABA0

range: [1,4] units: 1
unique values: 4 missing .: 467/999

```
profile_tvprog_gooool
```

profile_tvprog_pbs

freq watch - pbs

personality_couric favor - katie couric

personality_cooper favor - anderson cooper

personality_oreilly favor - bill o'reilly

```

type: numeric (byte)
label: LABBM, but 4 nonmissing values are not labeled

range: [1,7]                                units: 1
unique values: 7                            missing: 451/999

```

36	2
41	3
69	4 neutral
60	5
62	6
66	7 very favorably
451	.

 personality_colbert favor - steven colbert

type: numeric (byte)
 label: LABBM, but 4 nonmissing values are not labeled

range: [1,7] units: 1
 unique values: 7 missing .: 455/999

tabulation:	Freq.	Numeric	Label
	31	1	very unfavorably
	20	2	
	21	3	
	247	4	neutral
	56	5	
	72	6	
	97	7	very favorably
	455	.	

 personality_stewart favor - jon stewart

type: numeric (byte)
 label: LABBM, but 4 nonmissing values are not labeled

range: [1,7] units: 1
 unique values: 7 missing .: 454/999

tabulation:	Freq.	Numeric	Label
	51	1	very unfavorably
	32	2	
	32	3	
	167	4	neutral
	51	5	
	57	6	
	155	7	very favorably
	454	.	

 personality_dave favor - david letterman

type: numeric (byte)
 label: LABBM, but 4 nonmissing values are not labeled

range: [1,7] units: 1
 unique values: 7 missing .: 454/999

tabulation:	Freq.	Numeric	Label
	50	1	very unfavorably
	34	2	
	36	3	
	179	4	neutral
	123	5	
	85	6	
	38	7	very favorably
	454	.	

 personality_leno favor - jay leno

type: numeric (byte)
 label: LABBM, but 4 nonmissing values are not labeled

range: [1,7] units: 1
 unique values: 7 missing .: 455/999

tabulation:	Freq.	Numeric	Label
	38	1	very unfavorably
	38	2	
	44	3	
	180	4	neutral
	132	5	
	71	6	
	41	7	very favorably
	455	.	

 personality_oprah favor - oprah winfrey

type: numeric (byte)

```

label: LABBM, but 4 nonmissing values are not labeled
range: [1,7] units: 1
unique values: 7 missing .: 451/999

tabulation: Freq. Numeric Label
             68      1 very unfavorably
             46      2
             47      3
            141      4 neutral
             96      5
             69      6
             81      7 very favorably
            451      .

-----
personality_gibson favor - mel gibson
-----

type: numeric (byte)
label: LABBM, but 4 nonmissing values are not labeled
range: [1,7] units: 1
unique values: 7 missing .: 451/999

tabulation: Freq. Numeric Label
             115      1 very unfavorably
             70      2
             53      3
            145      4 neutral
             85      5
             46      6
             34      7 very favorably
            451      .

-----
personality_penn favor - sean penn
-----

type: numeric (byte)
label: LABBM, but 4 nonmissing values are not labeled
range: [1,7] units: 1
unique values: 7 missing .: 455/999

tabulation: Freq. Numeric Label
             132      1 very unfavorably
             38      2
             43      3
            201      4 neutral
             54      5
             45      6
             31      7 very favorably
            455      .

-----
personality_jolie favor - angelina jolie
-----

type: numeric (byte)
label: LABBM, but 4 nonmissing values are not labeled
range: [1,7] units: 1
unique values: 7 missing .: 454/999

tabulation: Freq. Numeric Label
             86      1 very unfavorably
             56      2
             57      3
            204      4 neutral
             69      5
             44      6
             29      7 very favorably
            454      .

-----
personality_lohan favor - lindsey lohan
-----

type: numeric (byte)
label: LABBM, but 4 nonmissing values are not labeled
range: [1,7] units: 1
unique values: 7 missing .: 456/999

tabulation: Freq. Numeric Label
            107      1 very unfavorably
             86      2
             47      3
            270      4 neutral
             22      5
              6      6
              5      7 very favorably

```

456 .

phone phone service

type: numeric (byte)
label: phone

range: [1,4] units: 1
unique values: 4 missing .: 447/999

tabulation: Freq. Numeric Label
406 1 both
61 2 cell only
81 3 landline
4 4 no phone
447 .

tvkid concern about what children can watch on tv

type: numeric (byte)
label: LABBN

range: [1,4] units: 1
unique values: 4 missing .: 449/999

tabulation: Freq. Numeric Label
248 1 very concerned
199 2 somewhat concerned
66 3 not very concerned
37 4 not at all concerned
449 .

netkid concern about what children can see on the internet

type: numeric (byte)
label: LABBN

range: [1,4] units: 1
unique values: 4 missing .: 447/999

tabulation: Freq. Numeric Label
331 1 very concerned
148 2 somewhat concerned
49 3 not very concerned
24 4 not at all concerned
447 .

clinic89 parent or guardian of any children under 21

type: numeric (byte)
label: clinic89

range: [0,1] units: 1
unique values: 2 missing .: 447/999

tabulation: Freq. Numeric Label
372 0 no
180 1 yes
447 .

clinic89_t number of children under 21 in the household

type: numeric (byte)
label: LABAW, but 10 nonmissing values are not labeled

range: [1,19] units: 1
unique values: 10 missing .: 819/999

examples: .
.
.
.

kid_c1_age age - child 1

type: string (str9)

unique values: 26 missing "": 438/999

examples: ""
""


```

      "8"
      "__NA__"

warning: variable has embedded blanks

-----
kid_c1_1                                     gender - child 1
-----

      type: numeric (byte)
      label: LABBO

      range: [1,2]                      units: 1
      unique values: 2                  missing .: 827/999

      tabulation: Freq.  Numeric  Label
                   90       1     male
                   82       2     female
                   827       .

-----
kid_c2_age                                     age - child 2
-----

      type: string (str6)

      unique values: 23                  missing "": 440/999

      examples: ""
                ""
                "__NA__"
                "__NA__"

      warning: variable has embedded blanks

-----
kid_c2_1                                     gender - child 2
-----

      type: numeric (byte)
      label: LABBO

      range: [1,2]                      units: 1
      unique values: 2                  missing .: 896/999

      tabulation: Freq.  Numeric  Label
                   50       1     male
                   53       2     female
                   896       .

-----
kid_c3_age                                     age - child 3
-----

      type: string (str6)

      unique values: 17                  missing "": 440/999

      examples: ""
                ""
                "__NA__"
                "__NA__"

      warning: variable has embedded blanks

-----
kid_c3_1                                     gender - child 3
-----

      type: numeric (byte)
      label: LABBO

      range: [1,2]                      units: 1
      unique values: 2                  missing .: 955/999

      tabulation: Freq.  Numeric  Label
                   22       1     male
                   22       2     female
                   955       .

-----
kid_c4_age                                     age - child 4
-----

      type: string (str6)

      unique values: 8                  missing "": 440/999

      tabulation: Freq.  Value
                   440    ""
                   1     "1"
                   1     "14"
                   1     "3"

```

```
4 "4"
1 "5"
1 "6"
2 "8"
548 "__NA__"
```

kid_c4_1 gender - child 4

```
type: numeric (byte)
label: LABBO

range: [1,2]          units: 1
unique values: 2      missing .: 988/999

tabulation: Freq.  Numeric  Label
              2         1    male
              9         2    female
             988         .
```

kid_c5_age age - child 5

```
type: string (str6)

unique values: 2      missing "": 440/999

tabulation: Freq.  Value
             440    ""
              1    "11"
             558    "__NA__"
```

kid_c5_1 gender - child 5

```
type: numeric (byte)
label: LABBO

range: [1,1]          units: 1
unique values: 1      missing .: 998/999

tabulation: Freq.  Numeric  Label
              1         1    male
             998         .
```

kid_c6_age age - child 6

```
type: string (str6)

unique values: 2      missing "": 440/999

tabulation: Freq.  Value
             440    ""
              1    "2"
             558    "__NA__"
```

kid_c6_1 gender - child 6

```
type: numeric (byte)
label: LABBO

range: [2,2]          units: 1
unique values: 1      missing .: 998/999

tabulation: Freq.  Numeric  Label
              1         2    female
             998         .
```

kid_c7_age age - child 7

```
type: string (str6)

unique values: 1      missing "": 440/999

tabulation: Freq.  Value
             440    ""
             559    "__NA__"
```

kid_c7_1 gender - child 7

```
type: numeric (byte)
label: LABBO
```

```

        range: [.,.]          units: .
unique values: 0              missing .: 999/999

        tabulation: Freq.  Numeric  Label
                     999          .

-----
kid_c8_age                                         age - child 8
-----

        type: string (str6)

unique values: 1              missing "": 439/999

        tabulation: Freq.  Value
                     439    ""
                     560    "__NA__"

-----
kid_c8_1                                         gender - child 8
-----

        type: numeric (byte)
label: LABB0

        range: [.,.]          units: .
unique values: 0              missing .: 999/999

        tabulation: Freq.  Numeric  Label
                     999          .

-----
kid_c9_age                                         age - child 9
-----

        type: string (str6)

unique values: 1              missing "": 438/999

        tabulation: Freq.  Value
                     438    ""
                     561    "__NA__"

-----
kid_c9_1                                         gender - child 9
-----

        type: numeric (byte)
label: LABB0

        range: [.,.]          units: .
unique values: 0              missing .: 999/999

        tabulation: Freq.  Numeric  Label
                     999          .

-----
kid_c10_age                                        age - child 10
-----

        type: string (str6)

unique values: 1              missing "": 437/999

        tabulation: Freq.  Value
                     437    ""
                     562    "__NA__"

-----
kid_c10_1                                        gender - child 10
-----

        type: numeric (byte)
label: LABB0

        range: [.,.]          units: .
unique values: 0              missing .: 999/999

        tabulation: Freq.  Numeric  Label
                     999          .

-----
kid_c11_age                                        age - child 11
-----

        type: string (str6)

unique values: 1              missing "": 437/999

        tabulation: Freq.  Value
                     437    ""
                     562    "__NA__"

```

kid_c11_1 gender - child 11

type: numeric (byte)
label: LABB0

range: [,.] units: .
unique values: 0 missing .: 999/999

tabulation: Freq. Numeric Label
999 .

kid_c12_age age - child 12

type: string (str6)

unique values: 1 missing "": 437/999

tabulation: Freq. Value
437 ""
562 "__NA__"

kid_c12_1 gender - child 12

type: numeric (byte)
label: LABB0

range: [,.] units: .
unique values: 0 missing .: 999/999

tabulation: Freq. Numeric Label
999 .

servcost amount paid for cell phone coverage

type: numeric (byte)
label: servcost

range: [1,3] units: 1
unique values: 3 missing .: 541/999

tabulation: Freq. Numeric Label
230 1 too much
197 2 about right
31 3 too little
541 .

cellplan cell phone plan type

type: numeric (byte)
label: cellplan

range: [1,3] units: 1
unique values: 3 missing .: 534/999

tabulation: Freq. Numeric Label
380 1 subscription
49 2 pre-paid
36 3 employer
534 .

cellcarr cell phone carrier

type: numeric (byte)
label: cellcarr

range: [1,9] units: 1
unique values: 9 missing .: 541/999

tabulation: Freq. Numeric Label
21 1 alltel
7 2 cellular one
127 3 cingular/att
6 4 qwest
67 5 sprint/nextel
49 6 t-mobile
14 7 us cellular
132 8 verizon
35 9 other
541 .

cellcarr_prov cell phone carrier/prov

type: string (str26)
unique values: 27 missing "": 849/999
examples: ""
""
""
""
warning: variable has embedded blanks

cellswitch switched cellular providers

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 535/999
tabulation: Freq. Numeric Label
36 1 yes
428 2 no
535 .

cellhapp satisfaction with current cell phone service

type: numeric (byte)
label: cellhapp
range: [1,5] units: 1
unique values: 5 missing .: 538/999
tabulation: Freq. Numeric Label
126 1 very happy
172 2 somewhat happy
99 3 neither happy nor unhappy
45 4 somewhat unhappy
19 5 very unhappy
538 .

profile_unioninfl level of influence desired of labor unions in us

type: numeric (byte)
label: LABAS
range: [1,3] units: 1
unique values: 3 missing .: 448/999
tabulation: Freq. Numeric Label
193 1 more influence than they have
today
149 2 the same amount of influence as
they have today
209 3 less influence than they have
today
448 .

profile_minwage favor - raise minimum wage

type: numeric (byte)
label: LABAT
range: [1,2] units: 1
unique values: 2 missing .: 448/999
tabulation: Freq. Numeric Label
416 1 favor
135 2 oppose
448 .

profile_employ employment status

type: numeric (byte)
label: LABAB
range: [1,9] units: 1
unique values: 8 missing .: 448/999
tabulation: Freq. Numeric Label

244	1	full-time
56	2	part-time
8	4	unemployed
122	5	retired
11	6	permanently disabled
41	7	homemaker
22	8	student
47	9	other
448	.	

profile_employ_job	employment status/job
--------------------	-----------------------

type: string (str64)

unique values: 37 missing "": 917/999

examples: ""
 ""
 ""
 ""

warning: variable has embedded blanks

profile_jobclass	classification of employer
------------------	----------------------------

type: numeric (byte)
 label: LABAU

range: [1,8] units: 1
 unique values: 8 missing .: 701/999

tabulation:	Freq.	Numeric	Label
	175	1	for-profit
	24	2	non-profit
	29	3	local or state government
	11	4	federal
	2	5	the armed services
	43	6	self-employed, for-profit
	2	7	self-employed, non-profit
	12	8	other
	701	.	

profile_jobclass_txt	classification of employer/txt
----------------------	--------------------------------

type: string (str55)

unique values: 14 missing "": 713/999

examples: ""
 ""
 ""
 "__NA__"

warning: variable has embedded blanks

profile_jobdescribe	job description
---------------------	-----------------

type: string (str50)

unique values: 255 missing "": 437/999

examples: ""
 ""
 "__NA__"
 "__NA__"

warning: variable has embedded blanks

profile_jobdescriberet	job description - retire or tlo
------------------------	---------------------------------

type: string (str50)

unique values: 120 missing "": 438/999

examples: ""
 ""
 "__NA__"
 "__NA__"

warning: variable has leading and embedded blanks

profile_industrydes	industry description
---------------------	----------------------

```

-----
      type: string (str44)
unique values: 179          missing "": 440/999
examples: ""
          ""
          "__NA__"
          "__NA__"
warning: variable has embedded blanks
-----
profile_industrydesret          industry - retired or tlo
-----

      type: string (str36)
unique values: 112          missing "": 438/999
examples: ""
          ""
          "__NA__"
          "__NA__"
warning: variable has leading and embedded blanks
-----
profile_teacher                  work in public education
-----

      type: numeric (byte)
      label: LABAV
      range: [1,4]          units: 1
unique values: 4          missing .: 959/999

      tabulation: Freq.   Numeric   Label
                   4         1   element
                   4         2   second
                   6         3   college
                   26        4   no
                   959        .
-----
profile_industrydescribe          business industry
-----

      type: string (str33)
unique values: 44          missing "": 437/999
examples: ""
          ""
          "__NA__"
          "__NA__"
warning: variable has embedded blanks
-----
profile_second                    second job
-----

      type: numeric (byte)
      label: LABO
      range: [1,2]          units: 1
unique values: 2          missing .: 702/999

      tabulation: Freq.   Numeric   Label
                   37         1   yes
                   260        2   no
                   702        .
-----
profile_hours                     hours per week worked at second job
-----

      type: numeric (byte)
      label: LABAW, but 12 nonmissing values are not labeled
      range: [1,50]          units: 1
unique values: 12          missing .: 966/999
examples: .
          .
          .
          .
-----
profile_secjobclass              employer at second job
-----

```

```

        type: numeric (byte)
        label: LABAU

        range: [1,8]          units: 1
    unique values: 5          missing .: 963/999

    tabulation: Freq.   Numeric   Label
                 7         1   for-profit
                 6         2   non-profit
                 1         3   local or state government
                18         6   self-employed, for-profit
                 4         8   other
                963         .

-----
profile_secjobclass_txt                                text - employer at second job
-----

        type: string (str22)

    unique values: 5          missing "": 470/999

    tabulation: Freq.   Value
                 470     ""
                 1     "Labor union"
                525     "__NA__"
                 1     "college"
                 1     "independant contractor"
                 1     "restaurant"

    warning: variable has embedded blanks

-----
profile_unionmember                                    union membership
-----

        type: numeric (byte)
        label: LABAX

        range: [1,3]          units: 1
    unique values: 3          missing .: 449/999

    tabulation: Freq.   Numeric   Label
                 33         1   current member
                157         2   past member
                360         3   never
                449         .

-----
profile_unionmember_nme                                union membership/nme
-----

        type: string (str31)

    unique values: 37          missing "": 928/999

    examples: ""
              ""
              ""
              ""

    warning: variable has embedded blanks

-----
profile_unionhh                                         house member belong to a labor union
-----

        type: numeric (byte)
        label: LABAY

        range: [1,4]          units: 1
    unique values: 4          missing .: 459/999

    tabulation: Freq.   Numeric   Label
                 59         1   current member (please specify):
                108         2   past member
                310         3   never have belonged to a labor
                                union
                 63         4   not sure
                459         .

-----
profile_unionhh_name                                    name of labor union
-----

        type: string (str62)

    unique values: 47          missing "": 934/999

    examples: ""
              ""
              ""

```


""

warning: variable has embedded blanks

singlepay support - guaranteed health insurance for all americans

type: numeric (byte)
label: singlepay

range: [1,5] units: 1
unique values: 5 missing .: 448/999

tabulation: Freq. Numeric Label
221 1 strongly support
112 2 somewhat support
52 3 somewhat oppose
132 4 strongly oppose
34 5 not sure
448 .

futcosts concerned about future health care costs

type: numeric (byte)
label: LABBN

range: [1,4] units: 1
unique values: 4 missing .: 448/999

tabulation: Freq. Numeric Label
344 1 very concerned
161 2 somewhat concerned
37 3 not very concerned
9 4 not at all concerned
448 .

curcoverage satisfaction with current health care coverage

type: numeric (byte)
label: curcoverage

range: [1,4] units: 1
unique values: 4 missing .: 452/999

tabulation: Freq. Numeric Label
162 1 very satisfied
250 2 somewhat satisfied
72 3 not very satisfied
63 4 not at all satisfied
452 .

jobins job provides health care coverage

type: numeric (byte)
label: LAB0

range: [1,2] units: 1
unique values: 2 missing .: 703/999

tabulation: Freq. Numeric Label
221 1 yes
75 2 no
703 .

pershealth personal health rating

type: numeric (byte)
label: pershealth

range: [1,4] units: 1
unique values: 4 missing .: 449/999

tabulation: Freq. Numeric Label
129 1 excellent
326 2 good
77 3 fair
18 4 poor
449 .

clintri clinical trial

type: numeric (byte)

```

label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 459/999

tabulation: Freq. Numeric Label
            46      1 yes
            494     2 no
            459     .

-----
profile_polinterest level of interest in politics/current events
-----

type: numeric (byte)
label: LABAN
range: [1,4] units: 1
unique values: 4 missing .: 444/999

tabulation: Freq. Numeric Label
            457     1 very much interested
            88      2 somewhat interested
            9       3 not much interested
            1       4 not sure
            444     .

-----
profile_ideo5 ideology
-----

type: numeric (byte)
label: LABV, but 2 nonmissing values are not labeled
range: [1,9] units: 1
unique values: 8 missing .: 437/999

tabulation: Freq. Numeric Label
            35      1 very liberal
            94      2 liberal
            229     3 moderate
            150     4 conservative
            45      5 very conservative
            2       6 not sure
            6       8
            1       9
            437     .

-----
profile_pid3 3 point party id
-----

type: numeric (byte)
label: LABR, but 2 nonmissing values are not labeled
range: [1,9] units: 1
unique values: 7 missing .: 438/999

tabulation: Freq. Numeric Label
            162     1 democrat
            156     2 republican
            200     3 independent
            39      4 other
            1       5 not sure
            2       8
            1       9
            438     .

-----
profile_pid3_pid 3 point party id/pid
-----

type: string (str20)
unique values: 8 missing "": 556/999

tabulation: Freq. Value
            556 ""
            1 "Ex-Republican"
            1 "Independent Democrat"
            1 "Liberal"
            1 "Libertarian"
            1 "Moderate Republican"
            435 "_NA_"
            1 "libatarian"
            2 "libertarian"

warning: variable has embedded blanks

-----
profile_pid7 party id
-----

```

```

    type: numeric (byte)
    label: profile_pid7

    range: [1,9]
    unique values: 8
    units: 1
    missing .: 450/999

    tabulation: Freq.   Numeric   Label
                125       1   strong democrat
                29       2   not very strong democrat
                103      3   democratic party
                69       5   republican party
                52       6   not very strong republican
                103      7   strong republican
                65       8   neither
                 3       9   not sure
                450      .

```

```

profile_ownhome                                     home ownership

```

```

    type: numeric (byte)
    label: LABAD

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 449/999

    tabulation: Freq.   Numeric   Label
                413       1   own
                113       2   rent
                 24       3   other (please specify):
                449      .

```

```

profile_ownhome_txt                                 home ownership/txt

```

```

    type: string (str54)

    unique values: 21
    missing "": 943/999

    examples: ""
              ""
              ""
              ""

    warning: variable has embedded blanks

```

```

profile_length_yr                                   years lived at your current city of residence

```

```

    type: string (str6)

    unique values: 73
    missing "": 455/999

    examples: ""
              ""
              "18"
              "36"

    warning: variable has leading and embedded blanks

```

```

profile_length_mo                                   months lived at your current city of residence

```

```

    type: string (str6)

    unique values: 15
    missing "": 708/999

    examples: ""
              ""
              ""
              "11"

    warning: variable has leading blanks

```

```

profile_addlen_yr                                   years lived at your current street address

```

```

    type: string (str6)

    unique values: 54
    missing "": 464/999

    examples: ""
              ""
              "15"
              "3"

    warning: variable has embedded blanks

```

profile_addlen_mo months lived at your current street address

type: string (str6)
unique values: 13 missing "": 706/999
examples: ""
""
""
"2"

profile_investor stock ownership

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 452/999
tabulation: Freq. Numeric Label
349 1 yes
198 2 no
452 .

profile_walmart wal-mart shopper

type: numeric (byte)
label: LABS
range: [1,3] units: 1
unique values: 3 missing .: 446/999
tabulation: Freq. Numeric Label
430 1 yes
119 2 no
4 3 not sure
446 .

profile_walmart2 freq shop at wal-mart

type: numeric (byte)
label: LABAQ
range: [1,3] units: 1
unique values: 3 missing .: 572/999
tabulation: Freq. Numeric Label
176 1 regularly
249 2 once in a while
2 3 not sure
572 .

garage garage size

type: numeric (byte)
label: garage
range: [1,5] units: 1
unique values: 5 missing .: 589/999
tabulation: Freq. Numeric Label
85 1 1 car
185 2 2 cars
47 3 more than 2 cars
3 4 multi-unit
90 5 no garage
589 .

profile_pickup truck driving

type: numeric (byte)
label: LABAM
range: [1,2] units: 1
unique values: 2 missing .: 447/999
tabulation: Freq. Numeric Label
184 1 yes
368 2 no
447 .

profile_guns gun owner

type: numeric (byte)
label: LABS

range: [1,3] units: 1
unique values: 3 missing .: 456/999

tabulation: Freq. Numeric Label
223 1 yes
307 2 no
13 3 not sure
456 .

profile_religion religious preference

type: numeric (byte)
label: LABW, but 2 nonmissing values are not labeled

range: [1,9] units: 1
unique values: 8 missing .: 455/999

tabulation: Freq. Numeric Label
206 1 protestant
107 2 catholic
10 3 jewish
114 5 none
55 6 some other religion (please
specify):
46 7 other christian
2 8
4 9
455 .

profile_religion_dm1 religious preference/dm1

type: string (str23)

unique values: 29 missing "": 813/999

examples: ""
""
""
""

warning: variable has embedded blanks

profile_religion_dm2 religious preference/dm2

type: string (str22)

unique values: 16 missing "": 854/999

examples: ""
""
""
""

warning: variable has embedded blanks

profile_religion_dm3 religious preference/dm3

type: string (str64)

unique values: 36 missing "": 834/999

examples: ""
""
""
""

warning: variable has embedded blanks

profile_bornagain born again

type: numeric (byte)
label: LABAM

range: [1,2] units: 1
unique values: 2 missing .: 590/999

```

      tabulation: Freq.  Numeric  Label
                  135      1  yes
                  274      2  no
                  590      .

-----
profile_churatd                                     church attendance
-----

      type: numeric (byte)
      label: LABX, but 2 nonmissing values are not labeled

      range: [1,9]                                units: 1
      unique values: 7                            missing .: 440/999

      tabulation: Freq.  Numeric  Label
                  140      1  once a week or more
                   57      2  a few times a month
                   96      3  less than once a month
                  239      4  almost never or never
                   11      5  not sure
                    1      8
                   15      9
                  440      .

-----
profile_prayer                                     frequency of prayer
-----

      type: numeric (byte)
      label: LABY

      range: [1,6]                                units: 1
      unique values: 6                            missing .: 452/999

      tabulation: Freq.  Numeric  Label
                  154      1  several times a day
                   74      2  once a day
                   99      3  a few times a week
                   85      4  once a week or less
                  112      5  never
                   23      6  other
                  452      .

-----
profile_prayer_txt                                frequency of prayer/txt
-----

      type: string (str64)

      unique values: 23                            missing "": 930/999

      examples: ""
                ""
                ""
                ""

      warning: variable has embedded blanks

-----
profile_religimp                                  importance of religion
-----

      type: numeric (byte)
      label: LABZ

      range: [1,2]                                units: 1
      unique values: 2                            missing .: 448/999

      tabulation: Freq.  Numeric  Label
                  357      1  important
                  194      2  not important
                  448      .

-----
profile_religimp2                                guidance provided by religion in day-to-day living
-----

      type: numeric (byte)
      label: LABAR

      range: [1,4]                                units: 1
      unique values: 4                            missing .: 649/999

      tabulation: Freq.  Numeric  Label
                   97      1  some guidance
                  109      2  quite a bit of guidance
                  137      3  a great deal of guidance
                    7      4  don't know
                  649      .

-----
profile_educ                                     education

```

```

-----
      type: numeric (byte)
      label: LABU

      range: [1,6]          units: 1
      unique values: 6      missing .: 440/999

      tabulation: Freq.  Numeric  Label
                   17         1    no hs
                   122        2    high school graduate
                   195        3    some college
                   54         4    2-year
                   110        5    4-year
                   61         6    post-grad
                   440        .
-----

profile_race                                     race
-----

      type: numeric (byte)
      label: LABT

      range: [1,8]          units: 1
      unique values: 8      missing .: 442/999

      tabulation: Freq.  Numeric  Label
                   443        1    white
                   24         2    black
                   31         3    hispanic
                   6          4    asian
                   9          5    native american
                   22         6    mixed
                   21         7    other (please specify):
                   1          8    middle eastern
                   442        .
-----

profile_race_txt                                race/txt
-----

      type: string (str55)

      unique values: 12      missing "": 846/999

      examples: ""
                ""
                ""
                ""

      warning: variable has embedded blanks
-----

profile_mixed_white                             mixed race - white
-----

      type: numeric (byte)
      label: LABAZ

      range: [1,2]          units: 1
      unique values: 2      missing .: 977/999

      tabulation: Freq.  Numeric  Label
                   19         1    yes
                   3          2    no
                   977        .
-----

profile_mixed_black                             mixed race - black
-----

      type: numeric (byte)
      label: LABAZ

      range: [1,2]          units: 1
      unique values: 2      missing .: 977/999

      tabulation: Freq.  Numeric  Label
                   7         1    yes
                   15        2    no
                   977        .
-----

profile_mixed_hisp                             mixed race - hispanic
-----

      type: numeric (byte)
      label: LABAZ

      range: [1,2]          units: 1
      unique values: 2      missing .: 977/999

```

tabulation: Freq. Numeric Label
3 1 yes
19 2 no
977 .

profile_mixed_asian mixed race - asian

type: numeric (byte)
label: LABAZ

range: [1,2] units: 1
unique values: 2 missing .: 977/999

tabulation: Freq. Numeric Label
1 1 yes
21 2 no
977 .

profile_mixed_seasian mixed race - southeast asian

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 977/999

tabulation: Freq. Numeric Label
22 2 no
977 .

profile_mixed_sasian mixed race - south asian

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 977/999

tabulation: Freq. Numeric Label
22 2 no
977 .

profile_mixed_islander mixed race - pacific islander

type: numeric (byte)
label: LABAZ

range: [2,2] units: 1
unique values: 1 missing .: 977/999

tabulation: Freq. Numeric Label
22 2 no
977 .

profile_mixed_amindian mixed race - american indian

type: numeric (byte)
label: LABAZ

range: [1,2] units: 1
unique values: 2 missing .: 977/999

tabulation: Freq. Numeric Label
9 1 yes
13 2 no
977 .

profile_mixed_mideast mixed race - middle eastern

type: numeric (byte)
label: LABAZ

range: [1,2] units: 1
unique values: 2 missing .: 977/999

tabulation: Freq. Numeric Label
1 1 yes
21 2 no
977 .

profile_mixed_other mixed race - other

```

    type: numeric (byte)
    label: LABAZ

    range: [1,2]          units: 1
    unique values: 2      missing .: 977/999

    tabulation: Freq.   Numeric   Label
                 1         1   yes
                 21        2   no
                 977        .

```

profile_mixed_txt text - mixed race - other

```

    type: string (str15)

    unique values: 2      missing "": 457/999

    tabulation: Freq.   Value
                 457    ""
                 1    "Euro/WestIndian"
                 541    "__NA__"

```

profile_marstat marital status

```

    type: numeric (byte)
    label: profile_marstat, but 1 nonmissing value is not labeled

    range: [1,9]          units: 1
    unique values: 7      missing .: 438/999

    tabulation: Freq.   Numeric   Label
                 365        1   married
                 8         2   separated
                 36        3   divorced
                 29        4   widowed
                 92        5   single
                 30        6   domestic partnership
                 1         9
                 438        .

```

natlecon national economy health

```

    type: numeric (byte)
    label: LABBP

    range: [1,5]          units: 1
    unique values: 5      missing .: 449/999

    tabulation: Freq.   Numeric   Label
                 68        1   excellent
                 173       2   good
                 189       3   not so good
                 117       4   poor
                 3         5   not sure
                 449        .

```

commecon community economic health

```

    type: numeric (byte)
    label: LABBP

    range: [1,5]          units: 1
    unique values: 5      missing .: 449/999

    tabulation: Freq.   Numeric   Label
                 52        1   excellent
                 245       2   good
                 173       3   not so good
                 74        4   poor
                 6         5   not sure
                 449        .

```

profile_income family income

```

    type: numeric (byte)
    label: LABAC

    range: [1,15]         units: 1
    unique values: 15      missing .: 462/999

```

senvote_coded	senate vote
---------------	-------------

govvote_coded governor vote

housevote_coded	house vote
-----------------	------------

zip code

fips	county fips
------	-------------

dma dma

```
examples: 11 houston, tx
          23 baltimore, md
          49 providence, ri-new bedford, ma
          103 lincoln-hastings-kearney, ne
```

```

tabulation: Freq.  Numeric  Label
           183      1  northeast
           249      2  midwest
           293      3  south
           274      4  west

```